



40TH ANNIVERSARY EDITION





40 YEARS OF CALF MANAGEMENT EXPERTISE

Partnering with calf professionals to design the most innovative calf housing options

As we celebrate our 40th anniversary, we reflect on the years of learning, innovation and growth. We've learned to listen, because of you, the most progressive farmer who puts the calf first. Innovation follows as we've prioritized the welfare of the calf – producing industry leading product. We continue to grow and expand our product offering as we listen to your needs. We look forward to the next 40 years of producing the best calf housing options for you, from you, the calf professional.

Calf-Tel®. Heart Meets Smart.



CONTENTS

THIS IS WHAT MAKES IT A CALF-TEL®		4
SYMBOLS		5
PRODUCT COMPARISON	HOUSING CUSTOMIZER	6
O-SERIES	OVERVIEW	10
OUTDOOR HUTCHES	20 64	12
	24 74	14
	35 85	18
GROUP HOUSING	54 98	20
I-SERIES	OVERVIEW	22
INDOOR PENS	16 44, 19 54	25
	22 64, 26 74	26
	30 84	27
	BREEZEWAYS	28
S-SERIES	15 54	30
STARTER SYSTEMS	30 58	32
C-SERIES		34
CONTAINMENT FENCES		
SPECIAL ORDER PRODUCTS	14 53, 20 64 EFI	40
	17 54	41
ACCESSORIES		42
TIMELINE: 1981-2021		44
CONTACT		46

THIS IS WHAT MAKES IT A CALF-TEL®

We Go with the Flow

Ventilation is critical in limiting respiratory illness and eliminating heat stress. The flow of air is strategically engineered into Calf-Tel® hutches, our NEW 24174 was designed with an extra-large ventilation opening (largest in the industry) for maximum comfort and breathability. Our indoor pen systems feature the AirMax panel for improved air-flow in challenging conditions.

We Promote Biosecurity


Calf-Tel's smooth surfaces don't have any pores, making them not only impervious to said undesirables, but super-easy to clean and maintain. When combined with proper management practices, calf raisers have found that our housing systems contribute to lower mortality, morbidity and overall treatment costs leading to enhanced calf growth.

Money Talks

For 40 years, Calf-Tel® has been developing products that are built to stand the test of time. Longer lasting product leads to lower lifetime costs. Combine this with the cost savings and benefits of superior calf health and you can see why approximately 2 million calves are raised in Calf-Tel® housing systems worldwide each year.




- Superior Ventilation
- Exzellente Belüftung
- Превосходная вентиляция
- Ventilación superior
- Ventilation supérieure
- Ventilazione superiore
- Doskonała wentylacja
- Superior szellőzés
- Vynikající ventilace



- Opacity for UV Protection
- Blockiert UV Strahlung
- Блокирует УФ-излучение
- Bloquea la radiación UV
- Bloque le rayonnement UV
- Blocca la radiazione UV
- Blokuje promieniowanie UV
- Az UV sugárzást blokkolja
- Blokuje UV záření



- Easy to clean
- Leicht zu reinigen
- Легко очистить
- Fácil de limpiar
- Facile à nettoyer
- Facile da pulire
- Łatwe do czyszczenia
- Könnyen tisztítható
- Snadno se čistí




- Superior Durability
- Hervorragende Haltbarkeit
- Превосходная долговечность
- Durabilidad superior
- Durabilité supérieure
- Durata superiore
- Doskonała wytrzymałość
- Vynikající trvanlivost




SYMBOLS


Product Features & Benefits




- Suitable for small breeds
- Geeignet für kleine Rassen
- Подходит для небольших пород
- Adecuado para razas pequeñas
- Convient aux petites races
- Adatto a piccole razze
- Odpowiedni dla małych ras
- Alkalmas kis fajtákhoz
- Vhodné pro malé plemena



- Suitable for large breeds
- Geeignet für große Rassen
- Подходит для крупных пород
- Adecuado para razas grandes
- Convient aux grandes races
- Adatto a grandi razze
- Odpowiedni dla dużych ras
- Nagy fajtákhoz alkalmas
- Vhodné pro velké plemena




- Suitable for all size breeds
- Geeignet für alle Größen
- Подходит для всех пород
- Adecuado para razas de todos los tamaños
- Convient à toutes les races de taille
- Adatto a tutte le razze taglia
- Odpowiedni dla ras wszystkich rozmiarów
- Minden fajtához alkalmas
- Vhodné pro všechny velikosti plemen




- For group housing
- Für Gruppenhaltung
- Для группового жилья
- Para vivienda grupal
- Pour le logement de groupe
- Per alloggi di gruppo
- Do mieszkania grupowego
- Csoportos házhoz
- Pro skupinové bydlení




- Raise indoors
- Aufzucht drinnen
- Поднять в помещении
- Levantar dentro
- Élever à l'intérieur
- Alza al chiuso
- Podnieść w domu
- Emelje fel a helyiségben
- Zvedněte se uvnitř




- For colder climates
- Für kälteres Klima
- Для холодного климата
- Para climas más fríos
- Pour les climats plus froids
- Per climi più freddi
- W chłodniejsze klimaty
- A hidegebb éghajlatoknál
- Pro chladnější klima




- For hotter climates
- Für wärmeres Klima
- Для жаркого климата
- Para climas más cálidos
- Pour les climats plus chauds
- Per climi più caldi
- Dla cieplejszych klimatów
- Forróbb éghajlaton
- Pro horké klima



- For all climates
- Für jedes Klima
- Для каждого климата
- Para todos los climas
- Pour tous les climats
- Per tutti i climi
- Dla wszystkich klimatów
- Minden éghajlatra
- Pro všechna klima



- Time spent in housing
- Dauer der Unterbringung
- Время, проведенное в жилье
- Tiempo dedicado a la vivienda
- Temps passé dans le logement
- Tempo trascorso in casa
- Czas spędzony w mieszkaniu
- A lakásban töltött idő
- Čas strávený v bydlení







- Raise outdoors
- Aufzucht im Freien
- Поднять на открытом воздухе
- Elevar al aire libre
- Élever dehors
- Sollevare all'aperto
- Podnieść na zewnątrz
- Emelje fel a szabadban
- Zvedněte venku







HOUSING CUSTOMIZER


O-SERIES
(OUTDOOR)



	New Product Name (Old Product Name)	Interior Size in m ²	Imperial Dimensions	Outside L × W × H	Inside Usable Calf Space	Weight	Base Option
	20 64 ECO	2.0	6' × 4'	187 x 118 x 137 cm 73.5" x 46.5" x 54"	179 x 110 x 122 cm 70.5" x 43.5" x 48"	21 kg 46 lbs	 Piped Base

	35 85 XXL	3.5	8' × 5'	250 x 154 x 151 cm 98.5" x 60.5" x 59.5"	243 x 146 x 136 cm 95.5" x 57.5" x 53.5"	43 kg 95 lbs	 Piped Base
---	-----------------------	-----	---------	---	---	-----------------	---


	New Product Name (Old Product Name)	Interior Size in m ²	Imperial Dimensions	Outside L × W × H	Inside Usable Calf Space	Weight	Base Options	Front Opening Options
	24 74 PRO II / DELUXE II	2.4	7' x 4'	223.52 x 128 x 140 cm 88" x 48" x 55"	212 x 114 x 124 cm 83.5" x 45" x 49"	35 kg 78 lbs	 Piped Base  Extrusion Base	 Full Open  Right Entry  Left Entry

	New Product Name (Old Product Name)	Interior Size in m ²	Imperial Dimensions	Outside L × W × H	Inside Usable Calf Space	Weight	Base Option
	54 98 MULTIMAX	5.4	9' x 8'	220 x 273 x 183 cm 86.5" x 107.5" x 72"	208 × 259 × 180 cm 82" × 102" × 71"	107 kg 235 lbs	—


GROUP
HOUSING



Front Opening Options	Rear Door Options	Optional Feed Door	Optional Rear Vents	Optional Bottle Holder	Optional Fences
-----------------------	-------------------	--------------------	---------------------	------------------------	-----------------



Rear Door Options	Optional Feed Door	Rear Vents	Optional Bottle Holder	Mega Vent Options	Optional Mega Vent Door	Optional Weather Guard	Optional Ridge Vent Top Cap
-------------------	--------------------	------------	------------------------	-------------------	-------------------------	------------------------	-----------------------------























Optional Back Vent	Optional Fences
--------------------	-----------------



HOUSING CUSTOMIZER (CONTINUED)






I-SERIES
(INDOOR)



	New Product Name (Old Product Name)	Interior Size in m2	Imperial Dimensions	Outside L x W x H	Inside Usable Calf Space	Weight	Pen Front Options		
	16 44 Maternity Pen	1.6	4.5' x 4'	135 x 122 x 114 cm 4.5' x 4' x 3.75'	—	43 kg 95 lbs			
	Standard Gen 3						Standard Gen 3	Compact Breezeway	Standard Breezeway
	19 54 5' Pen	1.9	5' x 4'	152 x 122 x 114 cm 5' x 4' x 3.75'	—	47 kg 103 lbs			
	Standard Gen 3						Standard Gen 3	Compact Breezeway	Standard Breezeway
	22 64 6' Pen	2.2	6' x 4'	183 x 122 x 114 cm 6' x 4' x 3.75'	—	Starting at*: 51 kg / 113 lbs			
	Standard Gen 3						Standard Gen 3	Compact Breezeway	Standard Breezeway
	26 74 7' Pen	2.6	7' x 4'	213 x 122 x 114 cm 7' x 4' x 3.75'	—	Starting at*: 56 kg / 123 lbs			
	Standard Gen 3						Standard Gen 3	Compact Breezeway	Standard Breezeway
	30 84 8' Pen	3.0	8' x 4'	244 x 122 x 114 cm 8' x 4' x 3.75'	—	60 kg 133 lbs			
	Standard Gen 3						Standard Gen 3	Compact Breezeway	Standard Breezeway

S-SERIES



	New Product Name (Old Product Name)	Interior Size in m2	Imperial Dimensions	Outside L x W x H	Inside Usable Calf Space	Weight	Base Options	
	15 54	1.5	5' x 4'	152 x 114.3 x 114.3 cm 59.5" x 45" x 45"	137 x 98.56 x 99.5 cm 54" x 38.8" x 39.2"	31 kg 68.5 lbs		
							None (Extrusion)	Legs
	30 58	3	5' x 8'	With Legs: 152 x 243.8 x 181 cm 60" x 96" x 71.5" With Wheels: 152 x 243.8 x 191.8 cm 60" x 96" x 75.5"	274 x 197 x 99.5 cm 108" x 77.6" x 39.2"			Legs

Side Panel Options			Optional Bottle Holder		Back Panel Options							
--------------------	--	--	------------------------	--	--------------------	--	--	--	--	--	--	--

		—									
Solid	Window		Chute	Wire	Window	Airmax	Standard Wire	Standard Steel	Standard Enhanced	Compact Wire	Compact Steel
—	—										
		Airmax	Chute	Wire	Window	Airmax	Standard Wire	Standard Steel	Standard Enhanced	Compact Wire	Compact Steel
											
Solid	Window	Airmax	Chute	Wire	Window	Airmax	Standard Wire	Standard Steel	Standard Enhanced	Compact Wire	Compact Steel
											
Solid	Window	Airmax	Chute	Wire	Window	Airmax	Standard Wire	Standard Steel	Standard Enhanced	Compact Wire	Compact Steel
	—										
Solid		Airmax	Chute	Wire	Window	Airmax	Standard Wire	Standard Steel	Standard Enhanced	Compact Wire	Compact Steel

Optional Roof				Optional Front Wheels	Optional Bottle		Optional Floor
---------------	--	--	--	-----------------------	-----------------	--	----------------

							
Wheels	None	Roof	Roof with Heat Lamp	Front Wheels for 15/54 Only	Chute	Wire	<i>Floor must be used with base</i>
				—			
Wheels	None	Roof	Roof with Heat Lamp		Chute	Wire	<i>Floor must be used with base</i>



CALF-TEL® O-SERIES

20|64

24|74

35|85



FLAT BACK DOOR Quick open vent – hutch can be flipped up and stand on end for easy cleaning.



REAR BEDDING DOOR XXL-Sized bedding door on the back. Maximum ventilation – comfortable access.



MEGA VENT DOOR Available on 24|74 Calf-Tel hutches only. Largest vent opening on the market.



Optional feeding doors on right or left side with inside feeding station.



BASE ALTERNATIVES




Fully rigid, steel pipe perimeter base.



New extrusion plastic base with structured flexibility, virtually impervious to destruction.

SITE LAYOUT EXAMPLES



CELEBRATING
40
YEARS

CALF-TEL'S FIRST CALF HUTCH, THE GENERATION I CALF-TEL HUTCH, ORIGINATED IN 1981 AND CAN STILL BE FOUND ON FARMS 40 YEARS LATER.

Today, we continue to innovate hutches with superior durability, the best ventilation and a variety of sizes and customizable options to fit your operation's needs.




CALF-TEL® O-SERIES

20|64



0 – 8 weeks

INTERIOR SIZE IN M ²	2.0
IMPERIAL DIMENSIONS	6' x 4'
OUTSIDE L x W x H	187 x 118 x 137 cm 73.5" x 46.5" x 54"
INSIDE USABLE CALF SPACE L x W x H	179 x 110 x 122 cm 70.5" x 43.5" x 48"
WEIGHT	19.5 kg 43 lbs



BASE OPTIONS



Pipe

LOWER REAR VENT

Not Available

FRONT OPENING OPTIONS



Full Open



Right Entry

OPTIONAL FEED DOOR

Not Available

REAR DOOR OPTIONS



Bedding Door



Flat Back Door

OPTIONAL FENCES



Classic
Wire Fence




Classic Access
Front with Wire
Fence



Elite Direct Attach
Hutch Access

PRODUCT FEATURES & BENEFITS




“We have used Calf-Tel hutches for over 8 years with great success. We have over 330 hutches and think they are a great way to raise calves. I am a big believer in Calf-Tel.”

JIM VAN PATTER




Consider spacing needs between hutches. Keep at least 10 feet / 300 cm between each row and 1 foot / 30 cm between each hut to prevent calves from touching and reduce the spread of disease. Make sure to allow enough space to access hutches with feeding and bedding equipment to maximize labor efficiency.



■ Feeding Station

Dimensions with standard fence





CALF-TEL® O-SERIES

24|74



0 – 8 weeks



NEW




Outer dimensions

INTERIOR SIZE IN M ²	2.4
IMPERIAL DIMENSIONS	7' x 4'
OUTSIDE L x W x H	223.52 x 128 x 140 cm 88" x 48" x 55"
INSIDE USABLE CALF SPACE L x W x H	212 x 114 x 124 cm 83.5" x 45" x 49"
WEIGHT	35 kg 78 lbs

BASE OPTIONS



Pipe



Extrusion

FRONT OPENING OPTIONS



Full Open



Right Entry



Left Entry

REAR DOOR OPTIONS



Bedding Door



Flat Back Door



Mega Vent Door

LOWER REAR VENT



No Vents



3 Vents

OPTIONAL FEED DOOR



Left Feed Door



Right Feed Door

OPTIONAL BOTTLE HOLDER



Chute



Wire

OPTIONAL FENCES



Classic Wire
Fence



Classic Access Front
with Wire Fence



Elite Direct Attach
Hutch Access



Elite Access Front
with Wire Fence





Elite Single Fence



Elite Pairing Fence

PRODUCT FEATURES & BENEFITS



O-SERIES



CALF-TEL® O-SERIES



UPGRADED FEATURES



ALL-PLASTIC EXTRUSION BASE –
VIRTUALLY IMPERVIOUS TO DESTRUCTION



ENHANCED RIBBING WITH STRUCTURED
FLEXIBILITY AND RIGIDITY

VARIETY OF BACK STYLES



Bedding Door



Flat Back Door



Mega Vent with
Wire Closure



Mega Vent with Windows



Mega Vent Full Open

24 | 74 AIR

Mega Vent

Decked out with all available optional features, the **24|74 Air** includes the Mega Vent – the largest adjustable ventilation opening on the market for maximum airflow, breathability and comfort.

OPTIONAL WEATHER
GUARD – PROTECTS CALF
FROM THE ELEMENTS



OPTIONAL ADJUSTABLE TOP RIDGE
VENT – ADDED BREATHABILITY
AND VENTILATION



OPTIONAL MEGA VENT
DOOR – SECURE YOUR
HUTCH AND ADJUST
VENTILATION



OPTIONAL REAR WIRE CLOSURE
KEEPS THE CALF SAFE AND
SECURE INSIDE THE HUTCH



OPTIONAL LOWER VENTS;
AVAILABLE WITH OR
WITHOUT 3 VENT OPENINGS

COMPATIBLE CONTAINMENT FENCES



Classic Wire Fence




Elite Single Fence



Elite Pairing Fence



Elite Access Front
with Wire Fence



Classic Access Front
with Wire Fence



Elite Direct Attach
Hutch Access



CALF-TEL® O-SERIES

35 | 85



0 – 12 weeks

INTERIOR SIZE IN M ²	3.5
IMPERIAL DIMENSIONS	8' x 5'
OUTSIDE L x W x H	250 x 154 x 151 cm 98.5" x 60.5" x 59.5"
INSIDE USABLE CALF SPACE L x W x H	243 x 146 x 136 cm 95.5" x 57.5" x 53.5"
WEIGHT	43 kg 94 lbs



BASE OPTIONS



Pipe

FRONT OPENING OPTIONS



Full Open



Right Entry



Left Entry

REAR DOOR OPTIONS



Bedding Door

LOWER REAR VENT



Optional

OPTIONAL FEED DOOR



Left Feed Door



Right Feed Door

OPTIONAL BOTTLE HOLDER



Chute



Wire

OPTIONAL FENCES



Classic Wire
Fence



Classic Access Front
with Wire Fence



Elite Direct Attach
Hutch Access



Elite Access Front
with Wire Fence



Elite Single Fence




Elite Pairing Fence

PRODUCT FEATURES & BENEFITS



O-SERIES





GROUP HOUSING

54|98

INTERIOR SIZE IN M ²	5.4
IMPERIAL DIMENSIONS	9' x 8'
OUTSIDE L x W x H	220 x 273 x 183 cm 86.5" x 107.5" x 72"
INSIDE USABLE CALF SPACE	208 x 259 x 180 cm
L x W x H	82" x 1025" x 718"
WEIGHT	107 kg 235 lbs



Outer dimensions

OPTIONAL BACK VENT




Upper Back Vent Doors



Closed Back

OPTIONAL FENCING




Comfort Fence



8116



12116



PRODUCT FEATURES & BENEFITS




“Our family has always trusted Calf-Tel to raise our calves. They are durable, easy to clean and there is a hutch to fit anyone’s operation. I wouldn’t want to raise our calves in any other hutch!”

DARCY STEFFES




GROUP HOUSING

COMMON WAYS THE 54|98 IS USED:




Prepared Site: Place the 54|98 on a well-drained surface (gravel, crushed stone or sand). This will keep calves dry and healthy. Outside fencing required.



Rotating Site: Place one 54|98 in a small pasture and move the unit and its pen periodically.

For Fence options see page 30



Large Common Pasture: Place multiple 54|98 in a large pasture with bigger groups. Position the units near each other, as the herd will not separate to housing in different locations.


WITH THE HELP OF RESEARCH FROM CALF PROFESSIONALS LIKE YOU, CALF-TEL DEVELOPED OUR FIRST GROUP HOUSING OPTION IN 1997.

As we learned how calves benefit from socializing with their peers, our offerings expanded into fencing to help farmers raise healthy, productive future herd members.

CELEBRATING
40
YEARS



CALF-TEL® I-SERIES



Compact Breezeway Front Panels shown with optional Chute Bottle Holders and Direct Attach Pails.




Breezeway Compact Front Panel & Back Panel




Breezeway Standard Front Panel & Back Panel

STANDARD BACK PANEL




Slots on the side wall for ventilation and tactile contact.

AIRMAX BACK PANEL



SITE LAYOUTS



■ Feeding Station

When using the AirMax back, the pen system can only be configured side-by-side.



Customized fit between front panels and rear panels using L-Rod connector.

CELEBRATING
40
YEARS

DESIGNED AND PRODUCED FIRST IN 2006, CALF-TEL RECOGNIZED THAT RAISING CALVES INDOORS WAS BECOMING MORE POPULAR.


Now, three generations of pens later, 5 sizes of side offerings, 7 back options and 3 choices of fronts, Calf-Tel has revolutionized the indoor calf housing industry.



CALF-TEL® I-SERIES



PRODUCT FEATURES & BENEFITS



THE GROUP LOOP





16 | 44

INTERIOR SIZE IN M ²	1.6
IMPERIAL DIMENSIONS	4.5' x 4'
OUTSIDE L x W x H	135 x 122 x 114 cm 4.5' x 4' x 3.75'
WEIGHT	43 kg 95 lbs



19 | 54

INTERIOR SIZE IN M ²	1.9
IMPERIAL DIMENSIONS	5' x 4'
OUTSIDE L x W x H	152 x 122 x 114 cm 5' x 4' x 3.75'
WEIGHT	47 kg 103 lbs



PEN FRONT OPTIONS



Standard Gen 3



Compact Breezeway



Standard Breezeway

SIDE PANEL OPTIONS



Solid



Windows

BACK PANEL OPTIONS



Windows



AirMax



Standard Wire



Standard Steel



Standard Enhanced



Compact Wire



Compact Steel

OPTIONAL BOTTLE HOLDER



Chute *Only with Breezeway*



Wire Fence Mount *Options*

PEN FRONT OPTIONS



Standard Gen 3



Compact Breezeway



Standard Breezeway

SIDE PANEL OPTIONS



Airmax

BACK PANEL OPTIONS



Windows



AirMax



Standard Wire



Standard Steel



Standard Enhanced



Compact Wire



Compact Steel

OPTIONAL BOTTLE HOLDER



Chute



Wire



CALF-TEL® I-SERIES



22 | 64

INTERIOR SIZE IN M ²	2.2
IMPERIAL DIMENSIONS	6' x 4'
OUTSIDE L x W x H	183 x 122 x 114 cm 6' x 4' x 3.75'
WEIGHT	Starting at 51 kg 113 lbs



26 | 74

INTERIOR SIZE IN M ²	2.6
IMPERIAL DIMENSIONS	7' x 4'
OUTSIDE L x W x H	213 x 122 x 114 cm 7' x 4' x 3.75'
WEIGHT	Starting at 56 kg 123 lbs



PEN FRONT OPTIONS



Standard Gen 3



Compact Breezeway



Standard Breezeway

SIDE PANEL OPTIONS



Solid



Windows



Airmax

BACK PANEL OPTIONS



Windows



AirMax



Standard Wire



Standard Steel



Standard Enhanced



Compact Wire



Compact Steel

OPTIONAL BOTTLE HOLDER



Chute
Only with Breezeway



Wire
Fence Mount Options

PEN FRONT OPTIONS



Standard Gen 3



Compact Breezeway



Standard Breezeway

SIDE PANEL OPTIONS



Solid



Windows



Airmax

BACK PANEL OPTIONS



Windows



AirMax



Standard Wire



Standard Steel



Standard Enhanced



Compact Wire



Compact Steel

OPTIONAL BOTTLE HOLDER



Chute
Only with Breezeway



Wire
Fence Mount Options



30 | 84

INTERIOR SIZE IN M ²	3.0
IMPERIAL DIMENSIONS	8' x 4'
OUTSIDE L x W x H	244 x 122 x 114 cm 8' x 4' x 3.75'
WEIGHT	60 kg 133 lbs



PEN FRONT OPTIONS



Standard Gen 3



Compact Breezeway



Standard Breezeway

SIDE PANEL OPTIONS



Solid



Windows



Airmax

BACK PANEL OPTIONS



Windows



AirMax



Standard Wire



Standard Steel



Standard Enhanced



Compact Wire



Compact Steel


OPTIONAL BOTTLE HOLDER



Chute
Only with Breezeway



Wire
Fence Mount Options



“The Calf-Tel[®] pen system is the easiest to set up for any indoor raising style and can grow with our herd.”

RICK RODEN





CALF-TEL® I-SERIES

BREEZEWAY Indoor Pen System



NEW



Compact **BREEZEWAY** Panels

FRONT AND BACK PANEL

DIMENSIONS W x H

81.3 x 114.3 cm | 32" x 45"

PEN FRONT WEIGHT

12 kg | 26 lbs

SIDE PANEL OPTIONS

Fits all Calf-Tel Pen side sizes



Solid



Windows



Airmax

BACK PANEL OPTIONS



Wire – 6 kg | 13 lbs



Steel – 11 kg | 24 lbs

OPTIONAL ACCESSORIES



Chute



Direct Attach Pail



Standard **BREEZEWAY** Panels

FRONT AND BACK PANEL

DIMENSIONS W x H 117.47 x 114.3 cm | 46.25" x 45"

PEN FRONT WEIGHT

14.5 kg | 32 lbs

SIDE PANEL OPTIONS

Fits all Calf-Tel Pen side sizes



Solid



Windows



Airmax


BACK PANEL OPTIONS



Wire – 9 kg | 20 lbs



Steel – 15 kg | 32 lbs



Enhanced – 13 kg | 29 lbs

OPTIONAL ACCESSORIES



Chute



Direct Attach Pail






S-SERIES

15|54



0 – 10 days



INTERIOR SIZE IN M ²	1.5
IMPERIAL DIMENSIONS	5' x 4'
OUTSIDE L x W x H	152 x 114.3 x 114.3 cm 59.5" x 45" x 45"
INSIDE USABLE CALF SPACE L x W x H	137 x 98.56 x 99.5 cm 54" x 38.8" x 39.2"
STARTER UNIT WEIGHT	31 kg 68.5 lbs
WEIGHT WITH WHEELS	44 kg 98 lbs
WEIGHT WITH LEGS	39 kg 86 lbs

BASE OPTIONS



None
Extrusion



Wheels



Legs

OPTIONAL FLOOR



Floor must be used with base

STANDARD VENTS



Upper Back



Lower Back

OPTIONAL ROOF



None



Roof



Roof with Heat Lamp

OPTIONAL FRONT WHEELS



Front Wheels for 15|54 Only

OPTIONAL BOTTLE



Chute



Wire

PRODUCT FEATURES & BENEFITS



S-SERIES





S-SERIES

Raised Base with Wheels

30 | 58



0 – 10 days



INTERIOR SIZE IN M ²	3
IMPERIAL DIMENSIONS	5' x 8'
OUTSIDE L x W x H WITH LEGS	152 x 243.8 x 181 cm 60" x 96" x 71.5"
OUTSIDE L x W x H WITH WHEELS	152 x 243.8 x 191.8 cm 60" x 96" x 75.5"
INSIDE USABLE CALF SPACE L x W x H	274 x 197 x 99.5 cm 108" x 77.6" x 39.2"
STARTER UNIT WEIGHT	31 kg 68.5 lbs
WEIGHT WITH WHEELS	97 kg 214 lbs
WEIGHT WITH LEGS	92 kg 202 lbs

BASE OPTIONS



Wheels



Legs

OPTIONAL FLOOR



Floor must be used with base

STANDARD VENTS



Upper Back



Lower Back

OPTIONAL ROOF



None



Roof



Roof with
Heat Lamp

OPTIONAL BOTTLE



Chute



Wire



S-SERIES



GIVING PRODUCERS A CUSTOMIZABLE OPTION TO CARE FOR NEWBORN CALVES BECAME AN EVIDENT NEED IN 2020. The Starter System was built with both the calf and producer in mind with many built-in features and additional options. The Starter System helps complete the full Calf-Tel Calf Program, calf housing from birth beyond weaning.

CELEBRATING
40
YEARS



C-SERIES


CLASSIC SYSTEM

ALL CLASSIC SYSTEM FENCES FIT
20|64, 24|74 AND 35|85
CALF-TEL HUTCHES

NEW



NEW



Classic **ACCESS** Front
with Wire Fence

OUTSIDE L x W x H 183 x 122 x 107 cm | 72" x 48" x 42"

CLASSIC Wire Fence

OUTSIDE L x W x H 183 x 122 x 107 cm | 72" x 48" x 42"





Elite **ACCESS** Front with Wire Fence

OUTSIDE L x W x H 183 x 132 x 106 cm | 72" x 52" x 42"

FITS
24 | 74 AND 35 | 85
CALF-TEL HUTCHES





C-SERIES

ELITE SYSTEM

FITS
24 | 74 AND 35 | 85
CALF-TEL HUTCHES



ELITE Single Fence

OUTSIDE L x W x H 160.35 x 130.50 x 101.6 cm | 63.13" x 51.38" x 40"



HUTCH TIPPED INTO FENCE



FENCE TIPPED OVER HUTCH



ELITE Pairing Fence

OUTSIDE L x W x H 161.56 x 278.15 x 101.6 cm | 63.31" x 109.51" x 40"



HUTCH TIPPED INTO FENCE



FENCE TIPPED OVER HUTCH



ELITE PAIRING GATE OPENED

FITS
24 | 74 AND 35 | 85
 CALF-TEL HUTCHES

FITS
24 | 74 AND 35 | 85
 FULL OPEN AND OFFSET ENTRY
 CALF-TEL HUTCHES OR
20 | 64
 FULL OPEN CALF-TEL HUTCHES

ELITE Direct Attach Hutch Access


OUTSIDE L x W x H 72.39 x 111.76 cm / 28.5" x 44"



C-SERIES



C-SERIES



8/16 FENCE

DIMENSIONS


243.84 x 487.68 cm | 28.5" x 44"



12/16 Fence

DIMENSIONS

365.76 x 487.68 cm | 28.5" x 44"




MULTIMAX FENCE



Comfort Fence for 54198 only available by special order in US. Please contact your Calf-Tel representative for more information.

C-SERIES




Optional milk bar, height-adjustable, for 5 nipple pails and stainless steel trough with drain valve (can also be retrofitted).


CALF-TEL[®] SPECIAL ORDER PRODUCTS

CONTACT YOUR CALF-TEL REPRESENTATIVE FOR MORE INFORMATION AND ORDERING INSTRUCTIONS.

14 | 53



20 | 64 EFI




INTERIOR SIZE IN M ²	1.4
IMPERIAL DIMENSIONS	5' x 3.5'
OUTSIDE L x W x H	147 x 109 x 117 cm 58" x 43" x 46"
INSIDE USABLE CALF SPACE L x W x H	140 x 102 x 104 cm 55" x 40" x 41"
WEIGHT	17 kg 37 lbs

INTERIOR SIZE IN M ²	2.0
IMPERIAL DIMENSIONS	6' x 4'
OUTSIDE L x W x H	187 x 118 x 137 cm 73.5" x 46.5" x 54"
INSIDE USABLE CALF SPACE L x W x H	179 x 110 x 122 cm 70.5" x 43.5" x 48"
WEIGHT	19 kg 42 lbs

17 | 54

PRODUCT FEATURES & BENEFITS




SPECIAL ORDER



Easy to move, manage and maintain your units. Much easier to clean than wood hutches. Minimizes bedding, feed times and general labor. Fits inside of a standard 8' x 5' wood base and provides more room for the calf.



Outer dimensions





CALF-TEL® ACCESSORIES



More information

For more information about Calf-Tel® Accessories visit our website or talk to your local distributor.

Calf-Tel.com



Grain Feeder



Direct Attach Pail

Attaches to Calf-Tel® Fence Panel and ECS without the need for extra hardware or pail holder. 8 QT capacity. Available in gray and black.



Plastic Latch and Hardware



Star Washer



J-Shaped Metal Latch for Flat Back Door



Feed Door Rod



Pen Stickers




Starter Bowl



Feed Access Door Latch and Hardware



Hardware for Calf Fence Panel



Rear Bedding Door Wire



Calf Tethering Kit



Calf Collar



43 Inch Cable for Calf Tethering Kit



70 Inch Cable for Calf Tethering Kit



Hay Rack: Pen, Fence & Hutch Mount available.



Pro and Deluxe Replacement Base.



L-Rod Attaches fence to hutch.



MultiMax Lifting Bracket.



Pen System Wall Bracket.



6.3 Quart / 6 L Nipple Pail fence mounted.



8.5 Quart / 8 L Heavy Duty Plastic Pail.



Feed-Saver Cover fence mounted.



Heavy duty front Door. For Calf-Tel® 24174 and 35185.



Group Loop for 6' and 7' Pen Systems.



Thinsulate™ Lined Calf Blanket.



Heavy Duty Double Pail Holder, Hutch Mount.



Heavy Duty Single Pail Holder, Hutch Mount.



Double Pail Holder, Fence Mount.



Single Pail Holder, Fence Mount.



Bottle with Nipple in 2, 3, or 4 quart size.



Chute Style Bottle Holder: Pen, Fence & Hutch Mount available.



Bottle Holder and Attachments: Pen, Fence & Hutch Mount available.



Fluid Feeders, 1 gallon size.



Lower Hutch Vent Covers. For Calf-Tel® 24174 and 35185.



Pro and Deluxe Rear Vent Door. Not for: Pro II / Deluxe II.



Deluxe Hutch Side Door. Not for: Pro II / Deluxe II



Pro II and Deluxe II Rear Bedding Door. Only for: Pro II / Deluxe II.



Deluxe II Hutch Side Door. Only for Calf-Tel® 24174.



54198 Rear Vent Door.

TIMELINE: 1980-2021



1981

GENERATION I CALF-TEL
Our first hutch is introduced.



1983

GENERATION II CALF-TEL
Back of the hutch is updated.



1987

GENERATION III DELUXE & BASIC CALF-TEL HUTCH INTRODUCTION
New features including ridge vent, rear vent, feed options & threshold.



1991

GENERATION IV DELUXE & BASIC CALF-HUTCH
Hutches now manufactured in one piece, no rivets!



1996

GENERATION V PRO
New Pro model turnkey calf raising system, fence and accessories.



2012

GENERATION I XXL CALF-TEL HUTCH
The largest hutch on the market.



2012

GENERATION I ECO CALF-TEL HUTCH
Mid-size hutch space-saving and economical.



2012

GENERATION II INDOOR PEN SYSTEM
Updated pen front with enhanced features.



2013

PREMIUM FENCE
Heavy duty fence with functioning door and optional wheels.



2015

GENERATION III PEN SYSTEM
Updated front with swing in/out door, XL handle & snap.



2021

CLASSIC ACCESS FRONT WITH WIRE FENCE
Light-weight, 3-piece design for easy assembly and accessibility.



2021

ELITE ACCESS FRONT WITH WIRE FENCE
Wire fence sides and heavy-duty front for labor efficiency.



2021

ELITE SINGLE FENCE
Heavy-duty design for durability and longevity.



2021

ELITE PAIRING FENCE
Perfect for pairing.



1997

GENERATION I MULTIMAX TRANSITIONAL GROUP HOUSING

Group Housing hutch that can fit 4-6 calves.



2006

GENERATION I INDOOR PEN SYSTEM

Bringing calves indoors has never been easier.



2006

COMPACT CALF-TEL HUTCH

Our smallest hutch, an efficient solution for short-term needs.



2009

GENERATION VI PRO II & DELUXE II CALF-TEL HUTCH

New rear bedding door and ridge vents.



2011

INDOOR PEN AIRMAX BACK

New back for pen system with added ventilation.



2016

ECS – ELEVATED CALF SYSTEM

Climate controlled, wood alternative, flexible housing.



2018

INDOOR PEN AIRMAX SIDES

Maximum ventilation from all angles.



2019

CALF-TEL HUTCH EXTRUSION BASE

All plastic hutch, option with no pipe base.



2020

15154 & 30158 CALF-TEL STARTER SYSTEM

Short-term housing for customized care.



2021

ELITE DIRECT ATTACH HUTCH ACCESS

Housing and feeding accommodations all in one.



2021

INDOOR PEN BREEZEWAY PANELS

New metal front and back design for pen system.



2021

GENERATION VII 24174 CALF-TEL HUTCH

New customizable features including mega vent door, adjustable top ridge vent, upgraded flat back door, added third rear lower vent, and redesign of hutch sides.



Ten Year Limited Warranty

10 Year Limited Warranty on all housing systems:

Calf-Tel® O-Series: 20/64 (ECO), 24/74 (Pro II, Deluxe II), 35/85 (XXL)

Calf-Tel® I-Series: 16/44 (Maternity-Pen), 19/54, 22/64, 26/74, 30/84 (Pen-System)

Calf-Tel® Group Housing: 54/98 (MultiMax)

Calf-Tel® Special Order Products: 14/53 (Compact), 20/64 EFI, 17/54 (ECS)

Made by



HAMPEL

Hampel – Manufacturer of Calf-Tel® Products.

Hampel is a manufacturer of thermoformed plastic products in Germantown, Wisconsin. Founded in 1976 by Lance T. Hampel, specializing in heavy gauge, deeply drawn thermoformed plastics that are sold on a proprietary and custom basis.

Calf-Tel® USA Corporate Office

W194 N11551 McCormick Drive
Germantown, Wisconsin 53022

Calf-Tel.com

(800) 558-8558

+1 262 255-4540

E-Mail: sales@Calf-Tel.com

Calf-Tel® Europe

Unter der Halde 24
D-89610 Oberdischingen
Deutschland

Calf-Tel.com/de

+49 (0)7305 926 780

E-Mail: Calf-Tel@HampelGmbH.com

International Distribution:

For a complete list of international distribution partners, visit our website.

Calf-Tel.com



HEART MEETS SMART



W194 N11551 McCormick Drive
Germantown, Wisconsin 53022

Calf-Tel.com

(800) 558-8558

E-mail : sales@Calf-Tel.com

CT-2101

