





OVER 40 YEARS OF CALF MANAGEMENT EXPERTISE

Partnering with calf professionals to design the most innovative calf housing options

Over the past 40 years, we've learned to listen, because of you, the most progressive farmer who puts the calf first. Innovation follows as we've prioritized the welfare of the calf – producing industry leading product. We continue to grow and expand our product offering as we listen to your needs. We look forward to continuing to produce the best calf housing for you, from you, the calf professional.

Calf-Tel®. Heart Meets Smart.



CONTENTS

THIS IS WHAT MAKES IT A CALF-TEL®		4
BETTER CALF RAISING		5
PRODUCT COMPARISON	HOUSING CUSTOMIZER	6
O-SERIES	OVERVIEW	10
OUTDOOR HUTCHES	20 64	12
	24 74	14
	35 85	16
GROUP HOUSING	54 98	20
I-SERIES	OVERVIEW	22
INDOOR PENS	4'5", 5' PENS	25
	6', 7' PENS	26
	8' PEN	27
	BREEZEWAYS	28
S-SERIES	15 54	30
STARTER SYSTEMS	30 58	32
C-SERIES		34
CONTAINMENT SYSTEMS		
SPECIAL ORDER PRODUCTS	14 53, CALF-TEL PLASTIC FLOOR	40
	17 54	41
ACCESSORIES		42
TIMELINE: 1981-2021		44
CONTACT		46

THIS IS WHAT MAKES IT A CALF-TEL®

THERMOFORMING ADVANTAGE

Using our innovative thermoforming technology, we've continually evolved and increased our products' durability, UV resilience, ventilation and hygiene. We thermoform Calf-Tel hutches out of extruded sheets of polyethylene. This process results in a molecular bonding within the plastic that is far superior to any other form of manufacturing – providing unmatched strength and durability. With this, we've helped farmers like you raise healthier calves – and make more money!



We Go with the Flow

Ventilation is critical in limiting respiratory illness and eliminating heat stress. The flow of air is strategically engineered into Calf-Tel® hutches, our NEW 24174 was designed with an extra-large ventilation opening (largest in the industry) for maximum comfort and breathability. Our indoor pen systems feature the AirMax panel for improved air-flow in challenging conditions.




Climate-Controlled Comfort

The opaque material of our hutches help keep your calves cooler in the summer and dry on those cold winter days. The plastic contains a layer of titanium dioxide to protect UV rays from breaking down the product over time.



We Promote Biosecurity

Calf-Tel's smooth surfaces don't have any pores, making them not only impervious to said undesirables, but super-easy to clean and maintain. When combined with proper management practices, calf raisers have found that our housing systems contribute to lower mortality, morbidity and overall treatment costs leading to enhanced calf growth.



Money Talks

For 40 years, Calf-Tel® has been developing products that are built to stand the test of time. Longer lasting product leads to lower lifetime costs. Combine this with the cost savings and benefits of superior calf health and you can see why approximately 2 million calves are raised in Calf-Tel® housing systems worldwide each year.


BETTER CALF RAISING

Invented by Hampel's Calf-Tel

There's never been a one-size-fits all approach to raising a healthy herd. That's why every Calf-Tel engineered, built, and sold is infused with unparalleled knowledge from a team that eats, sleeps and breathes calf-raising. That's why calves thrive in Calf-Tel.



BETTER PRODUCTS



BETTER SERVICE



BETTER SOLUTIONS



HOUSING CUSTOMIZER

O-SERIES
(OUTDOOR)
















New Product Name (Old Product Name)	Interior Size in m ²	Imperial Dimensions	Outside L × W × H	Inside Usable Calf Space	Weight	Base Option	
 20 64 ECO	2.0	6' × 4'	187 x 118 x 137 cm 73.5" x 46.5" x 54"	179 x 110 x 122 cm 70.5" x 43.5" x 48"	21 kg 46 lbs		Piped Base
New Product Name (Old Product Name)	Interior Size in m ²	Imperial Dimensions	Outside L × W × H	Inside Usable Calf Space	Weight	Base Options	Front Opening Options
 24 74 PRO II / DELUXE II	2.4	7' x 4'	223.52 x 128 x 140 cm 88" x 48" x 55"	212 x 114 x 124 cm 83.5" x 45" x 49"	35 kg 78 lbs	 Piped Base  Extrusion Base	 Full Open  Right Entry  Left Entry
New Product Name (Old Product Name)	Interior Size in m ²	Imperial Dimensions	Outside L × W × H	Inside Usable Calf Space	Weight	Base Options	Front Opening Options
 35 85 XL-XTRA	3.5	8' × 5'	247 x 157.5 x 155 cm 97.25" x 62" x 61"	243 x 146 x 136 cm 95.5" x 57.5" x 53.5"	43 kg 94 lbs	 Piped Base  Extrusion Base	 Full Open  Right Entry  Left Entry

Weight and dimensions may vary slightly. Reserve technical changes.















Front Opening Options	Rear Door Options	Optional Feed Door	Optional Rear Vents	Optional Bottle Holder	Optional Fences
-----------------------	-------------------	--------------------	---------------------	------------------------	-----------------

 Full open  Right Entry	 Bedding Door  Flat Back Door	—	—	 Chute  Wire	 Classic Wire Fence  Classic Access Front with Wire Fence  Elite Direct Attach Hutch Access on Full Open only  Comfort Fence
--	---	---	---	---	--



Rear Door Options	Optional Feed Door	Rear Vents	Optional Bottle Holder	Mega Vent Options	Optional Mega Vent Door	Optional Weather Guard	Optional Ridge Vent Top Cap
-------------------	--------------------	------------	------------------------	-------------------	-------------------------	------------------------	-----------------------------






















 Flat Back Door	 Left	 3 Rear Vents	 Chute	 3 Windows			
 Bedding Door	 Right	 No Vents Cut	 Wire	 Full Open	COMPATIBLE WITH ALL C-SERIES FENCING (SEE PAGES 34-37)		
 Mega Vent Door				 Wire Closure			







Rear Door Options	Optional Feed Door	Rear Vents	Optional Bottle Holder	Mega Vent Options	Optional Mega Vent Door	Optional Weather Guard	Optional Ridge Vent Top Cap
-------------------	--------------------	------------	------------------------	-------------------	-------------------------	------------------------	-----------------------------

 Flat Back Door	 Left	 4 Rear Vents	 Chute	 Full Open			
 Bedding Door	 Right	 No Vents Cut	 Wire	 Wire Calf Keeper	COMPATIBLE WITH ALL C-SERIES FENCING (SEE PAGES 34-37)		
 Mega Vent Door							

HOUSING CUSTOMIZER (CONTINUED)

GROUP HOUSING 	GROUP HOUSING							
	New Product Name (Old Product Name)	Interior Size in m ²	Imperial Dimensions	Outside L × W × H	Inside Usable Calf Space	Weight	Base Option	
	 54 98 MULTIMAX	5.4	9' x 8'	220 x 273 x 183 cm 86.5" x 107.5" x 72"	208 × 259 × 180 cm 82" × 102" × 71"	107 kg 235 lbs	—	—

I-SERIES (INDOOR) 	I-SERIES (INDOOR)								
	New Product Name (Old Product Name)	Interior Size in m2	Imperial Dimensions	Outside L × W × H	Inside Usable Calf Space	Weight	Pen Front Options		
	 4'5" PEN Maternity Pen	1.6	4.5' x 4'	135 x 122 x 114 cm 4.5' x 4' x 3.75'	—	43 kg 95 lbs	 Standard Gen 3	 Compact Breezeway	 Standard Breezeway
	 5' PEN	1.9	5' x 4'	152 x 122 x 114 cm 5' x 4' x 3.75'	—	47 kg 103 lbs	 Standard Gen 3	 Compact Breezeway	 Standard Breezeway
	 6' PEN	2.2	6' x 4'	183 x 122 x 114 cm 6' x 4' x 3.75'	—	Starting at*: 51 kg / 113 lbs	 Standard Gen 3	 Compact Breezeway	 Standard Breezeway
	 7' PEN	2.6	7' x 4'	213 x 122 x 114 cm 7' x 4' x 3.75'	—	Starting at*: 56 kg / 123 lbs	 Standard Gen 3	 Compact Breezeway	 Standard Breezeway
	 8' PEN	3.0	8' x 4'	244 x 122 x 114 cm 8' x 4' x 3.75'	—	60 kg 133 lbs	 Standard Gen 3	 Compact Breezeway	 Standard Breezeway

S-SERIES 	S-SERIES							
	New Product Name (Old Product Name)	Interior Size in m2	Imperial Dimensions	Outside L × W × H	Inside Usable Calf Space	Weight	Base Options	
	 15 54	1.5	5' x 4'	152 x 114.3 x 114.3 cm 59.5" x 45" x 45"	137 x 98.56 x 99.5 cm 54" x 38.8" x 39.2"	31 kg 68.5 lbs	 None (Extrusion)	 Legs
	 30 58	3	5' x 8'	With Legs: 152 x 243.8 x 181 cm 60" x 96" x 71.5" With Wheels: 152 x 243.8 x 191.8 cm 60" x 96" x 75.5"	274 x 197 x 99.5 cm 108" x 77.6" x 39.2"			 Legs

Optional Back Vent



Upper Back Vent Doors



With Solid Back



8116



12116



Duplex

Optional Systems

Side Panel Options

Optional Bottle Holder

Back Panel Options



Solid



Window

—



Chute



Wire



Window



Airmax



Standard Wire



Standard Steel



Compact Wire



Compact Steel

—

—



Airmax



Chute



Wire



Window



Airmax



Standard Wire



Standard Steel



Compact Wire



Compact Steel



Solid



Window



Airmax



Chute



Wire



Window



Airmax



Standard Wire



Standard Steel



Compact Wire



Compact Steel



Solid



Window



Airmax



Chute



Wire



Window



Airmax



Standard Wire



Standard Steel



Compact Wire



Compact Steel



Solid

—



Airmax



Chute



Wire



Window



Airmax



Standard Wire



Standard Steel



Compact Wire



Compact Steel

Optional Roof

Optional Front Wheels

Optional Bottle Holder

Optional Floor



Wheels



None



Roof



Roof with Heat Lamp



Front Wheels for 15154 Only



Chute



Floor must be used with base



Wheels



None



Roof



Roof with Heat Lamp

—



Chute



Floor must be used with base



CALF-TEL® O-SERIES

20|64

24|74

35|85



BETTER CALF RAISING

OUTDOORS

Whatever your needs, we have a calf hutch for you. Our outdoor calf hutches protect your calves from the elements while maintaining integrity and durability for many years. From economical to extra-large, our calf hutches are designed with industry-leading features and can be customized to keep your calves healthy and comfortable.



REAR BEDDING DOOR XXL-Sized bedding door on the back. Maximum ventilation – comfortable access.



MEGA VENT DOOR Available on 24|74 and 35|85 Calf-Tel hutches only. Largest vent opening on the market.

Weight and dimensions may vary slightly. Reserve technical changes.



BASE ALTERNATIVES




Fully rigid, steel pipe perimeter base.



NEW

New extrusion plastic base with structured flexibility, virtually impervious to destruction.

SITE LAYOUT EXAMPLES



Optional feeding doors on right or left side with inside feeding station.



Flat back door option. Quick open vent – hutch can be flipped up and stand on end for easy cleaning.




CALF-TEL® O-SERIES

20|64

With a small footprint, easy calf access and convenient features, the **20|64**, our mid-size calf hutches, is perfect for large ranches that need to maximize efficiency and economies of scale.

INTERIOR SIZE IN M ²	2.0
IMPERIAL DIMENSIONS	6' x 4'
OUTSIDE L x W x H	187 x 118 x 137 cm 73.5" x 46.5" x 54"
INSIDE USABLE CALF SPACE L x W x H	179 x 110 x 122 cm 70.5" x 43.5" x 48"
WEIGHT	19.5 kg 43 lbs



0 – 8 weeks

BASE OPTIONS



Pipe

LOWER REAR VENT

Not Available

FRONT OPENING OPTIONS



Full Open



Right Entry

OPTIONAL FEED DOOR

Not Available

REAR DOOR OPTIONS



Bedding Door



Flat Back Door

OPTIONAL FENCES



Classic Wire Fence



Classic Access Front with Wire Fence




Elite Direct Attach Hutch Access




“We have used Calf-Tel hutches for over 8 years with great success. We have over 330 hutches and think they are a great way to raise calves. I am a big believer in Calf-Tel.”

JIM VAN PATTTER




Consider spacing needs between hutches. Keep at least 10 feet / 300 cm between each row and 1 foot / 30 cm between each hutch to prevent calves from touching and reduce the spread of disease. Make sure to allow enough space to access hutches with feeding and bedding equipment to maximize labor efficiency.



■ Feeding Station

Dimensions with standard fence





CALF-TEL® O-SERIES

24|74

Our standard-size calf hutch with newly redesigned features for maximum ventilation. With new structural upgrades and fully customized features, this calf hutch will reinvent how you manage your calf operation. It is also equipped with our all-plastic extrusion base with structured rigidity that won't freeze to the ground.

INTERIOR SIZE IN M ²	2.4
IMPERIAL DIMENSIONS	7' x 4'
OUTSIDE L x W x H	223.52 x 128 x 140 cm 88" x 48" x 55"
INSIDE USABLE CALF SPACE L x W x H	212 x 114 x 124 cm 83.5" x 45" x 49"
WEIGHT	35 kg 78 lbs



Outer dimensions




0 – 8 weeks

BASE OPTIONS



Pipe



Extrusion

FRONT OPENING OPTIONS



Full Open



Right Entry



Left Entry

REAR DOOR OPTIONS



Bedding Door



Flat Back Door



Mega Vent Door

LOWER REAR VENT



No Vents



3 Vents

OPTIONAL FEED DOOR



Left Feed Door



Right Feed Door

OPTIONAL BOTTLE HOLDER



Chute



Wire

OPTIONAL FENCES



Classic Wire Fence



Classic Access Front with Wire Fence



Elite Direct Attach Hutch Access



Elite Access Front with Wire Fence



Elite Single Fence



Elite Pairing Fence

Optional weather guard – protects calf from the elements

Optional adjustable top ridge vent – added breathability and ventilation

Optional rear wire closure keeps the calf safe and secure inside the hutch



All-Plastic Extrusion base – virtually impervious to destruction. no more pipe.



Optional lower vents; available with or without 3 vent openings

24 | 74 AIR

Mega Vent

O-SERIES


Decked out with all available optional features, the 24|74 Air includes the Mega Vent – the largest adjustable ventilation opening on the market for maximum airflow, breathability and comfort.



UPGRADED FEATURES



Dimensions with standard fence



VARIETY OF BACK STYLES





CALF-TEL® O-SERIES

35|85 XL-XTRA

Our redesigned 35|85 XL-XTRA is the largest calf hutch available. It's 44% bigger than our 24|74 and 26% larger than other XL hutches on the market. When a larger size calf hutch is preferred due to climate or long-term needs, this extra-large calf hutch is the right choice. The spaciousness also makes it the perfect hutch for pairing calves.

INTERIOR SIZE IN M ²	3.5
IMPERIAL DIMENSIONS	8' x 5'
OUTSIDE L x W x H	247 x 157.5 x 155 cm 97.25" x 62" x 61"
INSIDE USABLE CALF SPACE L x W x H	243 x 146 x 136 cm 95.5" x 57.5" x 53.5"
WEIGHT	43 kg 94 lbs




0 – 12 weeks

BASE OPTIONS



Pipe



Extrusion

FRONT OPENING OPTIONS



Full Open



Right Entry



Left Entry

REAR DOOR OPTIONS



Bedding Door



Flat Back Door



Mega Vent Door

REAR VENT



4 Rear Vents



4 Rear Vents

OPTIONAL FEED DOOR



Left Feed Door



Right Feed Door

OPTIONAL BOTTLE HOLDER



Chute



Wire

OPTIONAL FENCES



Classic Wire
Fence



Classic Access Front
with Wire Fence



Elite Direct Attach
Hutch Access





Elite Access Front
with Wire Fence



Elite Single Fence



Elite Pairing Fence






CALF-TEL® O-SERIES



UPGRADED FEATURES



ALL-PLASTIC EXTRUSION BASE — VIRTUALLY IMPERVIOUS TO DESTRUCTION. NO MORE PIPE.



ENHANCED RIBBING WITH STRUCTURED FLEXIBILITY AND RIGIDITY.

VARIETY OF BACK STYLES



Bedding Door



Flat Back Door



Mega Vent Full Open



Wire Calf Keeper

35 | 85 AIR


Mega Vent

Mega Vent offers the largest adjustable ventilation opening on the market for maximum airflow, breathability and comfort, now available on our **35|85 XL-XTRA**.

OPTIONAL WEATHER GUARD – PROTECTS CALF FROM THE ELEMENTS



OPTIONAL ADJUSTABLE TOP RIDGE VENT – ADDED BREATHABILITY AND VENTILATION



ENHANCED RIBBING WITH STRUCTURED FLEXIBILITY AND RIGIDITY.



ALL-PLASTIC EXTRUSION BASE – VIRTUALLY IMPERVIOUS TO DESTRUCTION. NO MORE PIPE.




OPTIONAL LOWER VENTS; AVAILABLE WITH OR WITHOUT 4 VENT OPENINGS.

COMPATIBLE CONTAINMENT FENCES




Classic Wire Fence




Elite Single Fence



Elite Pairing Fence



Elite Access Front with Wire Fence



Classic Access Front with Wire Fence



Classic Access Paired Fence






“Our family has always trusted Calf-Tel to raise our calves. They are durable, easy to clean and there is a hutch to fit anyone’s operation. I wouldn’t want to raise our calves in any other hutch!”


DARCY STEFFES



COMMON WAYS THE 54|98 IS USED:



Prepared Site: Place the 54|98 on a well-drained surface (gravel, crushed stone or sand). This will keep calves dry and healthy. Outside fencing required.



Rotating Site: Place one 54|98 in a small pasture and move the unit and its pen periodically.

For Fence options see page 30



Large Common Pasture: Place multiple 54|98 in a large pasture with bigger groups. Position the units near each other, as the herd will not separate to housing in different locations.




DUPLEX GATE SYSTEM

Looking to transition your calves from the start? Our NEW Duplex gate allows you to pair raise calves using the 54|98 and remove the middle pairing gate when ready.



CALF-TEL® I-SERIES



BETTER CALF RAISING INDOORS


We offer flexible, modular solutions for your indoor spaces. Our indoor pens help meet the challenges of indoor raising with maximum ventilation, versatility and ease of cleaning. Many customizable features allow you to create a pen that meets your needs and fits your space.



Compact Breezeway Front Panels shown with optional Chute Bottle Holders and Direct Attach Pails.


Weight and dimensions may vary slightly. Reserve technical changes.

STANDARD BACK PANEL




Slots on the side wall for ventilation and tactile contact.

AIRMAX BACK PANEL



SITE LAYOUTS



■ Feeding Station

When using the AirMax back, the pen system can only be configured side-by-side.



Customized fit between front panels and rear panels using L-Rod connector.



Breezeway Compact Front Panel & Back Panel



Breezeway Standard Front Panel & Back Panel



CALF-TEL® I-SERIES



THE GROUP LOOP



4'5" PEN

Free-standing indoor maternity calf pen takes up less space, providing added flexibility and cost savings for short-term housing.



INTERIOR SIZE IN M ²	1.6
IMPERIAL DIMENSIONS	4.5' x 4'
OUTSIDE L x W x H	135 x 122 x 114 cm 4.5' x 4' x 3.75'
WEIGHT	43 kg 95 lbs

5' PEN




This pen size, only available with AirMax sides, for calf producers looking to slowly acclimate calves to the group or for stand-alone raising. Providing maximum ventilation from all angles.



INTERIOR SIZE IN M ²	1.9
IMPERIAL DIMENSIONS	5' x 4'
OUTSIDE L x W x H	152 x 122 x 114 cm 5' x 4' x 3.75'
WEIGHT	47 kg 103 lbs

I-SERIES

PEN FRONT
OPTIONS





Standard Gen 3

Compact Breezeway

Standard Breezeway







SIDE PANEL
OPTIONS



Solid

Windows

BACK
PANEL
OPTIONS



Windows

AirMax



Standard Wire

Standard Steel

Compact Wire

Compact Steel




OPTIONAL
BOTTLE
HOLDER



Chute

Wire

PEN FRONT
OPTIONS




Standard Gen 3

Compact Breezeway







Standard Breezeway

SIDE PANEL
OPTIONS



Airmax

BACK
PANEL
OPTIONS



Windows

AirMax



Standard Wire

Standard Steel

Compact Wire

Compact Steel

OPTIONAL
BOTTLE
HOLDER



Chute

Wire



CALF-TEL® I-SERIES

6' PEN

Indoor calf pens that can easily grow with you herd or be taken down during slower production times. Creating versatile indoor calf housing that meets your needs.



INTERIOR SIZE IN M ²	2.2
IMPERIAL DIMENSIONS	6' x 4'
OUTSIDE L x W x H	183 x 122 x 114 cm 6' x 4' x 3.75'
WEIGHT	Starting at 51 kg 113 lbs

PEN FRONT OPTIONS



Standard Gen 3



Compact Breezeway



Standard Breezeway

SIDE PANEL OPTIONS



Solid



Windows



Airmax

BACK PANEL OPTIONS



Windows



AirMax



Standard Wire



Standard Steel



Compact Wire



Compact Steel

OPTIONAL BOTTLE HOLDER



Chute



Wire

7' PEN

A modular indoor calf pen solution that easily flexes based on your operation and herd needs. Many enhanced features improve productivity and efficiency.



INTERIOR SIZE IN M ²	2.6
IMPERIAL DIMENSIONS	7' x 4'
OUTSIDE L x W x H	213 x 122 x 114 cm 7' x 4' x 3.75'
WEIGHT	Starting at 56 kg 123 lbs

PEN FRONT OPTIONS



Standard Gen 3



Compact Breezeway



Standard Breezeway

SIDE PANEL OPTIONS



Solid



Windows



Airmax

BACK PANEL OPTIONS



Windows



AirMax



Standard Wire



Standard Steel



Compact Wire



Compact Steel

OPTIONAL BOTTLE HOLDER



Chute



Wire


8' PEN


Modular calf pen system that is able to expand with your herd. The extended 8' length helps provide added space for your calf to grow.




INTERIOR SIZE IN M ²	3.0
IMPERIAL DIMENSIONS	8' x 4'
OUTSIDE L x W x H	244 x 122 x 114 cm 8' x 4' x 3.75'
WEIGHT	60 kg 133 lbs


PEN FRONT
OPTIONS



Standard Gen 3



Compact Breezeway


Standard Breezeway


SIDE PANEL
OPTIONS



Solid



Windows



Airmax


BACK
PANEL
OPTIONS


Windows



AirMax



Standard Wire


Compact Wire


Compact Steel

OPTIONAL
BOTTLE
HOLDER


Chute


Wire



I-SERIES



“The Calf-Tel[®] pen system is the easiest to set up for any indoor raising style and can grow with our herd.”

RICK RODEN





CALF-TEL® I-SERIES

BREEZEWAY Indoor Pen System



Compact **BREEZEWAY** Panels

Compact BreezeWAY Panels are modular solution allowing dairy farmers to take full advantage of their indoor space and provide an ideal micro-environment for the animal. Resulting in superior airflow and ventilation and a healthier, happier herd.



FRONT AND BACK PANEL DIMENSIONS W x H 81.3 x 114.3 cm | 32" x 45"

PEN FRONT WEIGHT 12 kg | 26 lbs

SIDE PANEL OPTIONS

Fits all Calf-Tel Pen side sizes



Solid



Windows



Airmax

BACK PANEL OPTIONS



Wire – 6 kg | 13 lbs



Steel – 11 kg | 24 lbs

OPTIONAL ACCESSORIES



Chute



Direct Attach Pail

Standard BREEZEWAY Panels

The Standard Breezeway Panels give calves extra space while still utilizing indoor calf barn space efficiently. The open panel design provides the calf access to fresh air and cleaner ventilation.



FRONT AND BACK PANEL DIMENSIONS W x H	117.47 x 114.3 cm 46.25" x 45"
PEN FRONT WEIGHT	14.5 kg 32 lbs



I-SERIES



SIDE PANEL OPTIONS

Fits all Calf-Tel Pen side sizes



Solid



Windows



Airmax

BACK PANEL OPTIONS



Wire – 9 kg | 20 lbs



Steel – 15 kg | 32 lbs

OPTIONAL ACCESSORIES



Chute



Direct Attach Pail




S-SERIES

15 | 54

Add flexibility to your calf program with the **Complete Starter System**. Whether it be on farms for individualized calf care, a depot facility or for a maternity facility the Starter System is the perfect short-term housing option. Includes many built-in features and additional options.

INTERIOR SIZE IN M ²	1.5
IMPERIAL DIMENSIONS	5' x 4'
OUTSIDE L x W x H	152 x 114.3 x 114.3 cm 59.5" x 45" x 45"
INSIDE USABLE CALF SPACE L x W x H	137 x 98.56 x 99.5 cm 54" x 38.8" x 39.2"
STARTER UNIT WEIGHT	31 kg 68.5 lbs
WEIGHT WITH WHEELS	44 kg 98 lbs
WEIGHT WITH LEGS	39 kg 86 lbs



BASE OPTIONS



None
Extrusion



Wheels



Legs

OPTIONAL FLOOR



Floor must be used with base

STANDARD VENTS



Upper Back



Lower Back

OPTIONAL ROOF



None



Roof



Roof with Heat Lamp

OPTIONAL FRONT WHEELS




Front Wheels for 15/54 Only

OPTIONAL BOTTLE



Chute






S-SERIES

Raised Base with Wheels

30 | 58

The **Double Starter System** combines two starter units on a raised base that can be equipped with legs or wheels to maximize efficiencies. Easy access, effortless maneuverability and convenient cleaning are all built-in features of the Double Starter System.



30|58 WITH WHEELS

Outer dimensions

INTERIOR SIZE IN M ²	3
IMPERIAL DIMENSIONS	5' x 8'
OUTSIDE L x W x H WITH LEGS	152 x 243.8 x 181 cm 60" x 96" x 71.5"
OUTSIDE L x W x H WITH WHEELS	152 x 243.8 x 191.8 cm 60" x 96" x 75.5"
INSIDE USABLE CALF SPACE L x W x H	274 x 197 x 99.5 cm 108" x 77.6" x 39.2"
STARTER UNIT WEIGHT	31 kg 68.5 lbs
WEIGHT WITH WHEELS	97 kg 214 lbs
WEIGHT WITH LEGS	92 kg 202 lbs



0 – 10 days

BASE OPTIONS



Wheels



Legs

OPTIONAL FLOOR



Floor must be used with base

STANDARD VENTS



Upper Back



Lower Back

OPTIONAL ROOF



None



Roof



Roof with
Heat Lamp


OPTIONAL BOTTLE



Chute



S-SERIES






C-SERIES

Containment systems are every bit as important to the staff as they are the calf. Our thoughtful designs focus on safety and feeding efficiency for the calf and convenience and strength for the producer.

CLASSIC SYSTEM



CLASSIC Wire Fence

OUTSIDE L x W x H 183 x 122 x 107 cm | 72" x 48" x 42"

Economic design combined with convenient features. Pre-dipped galvanized provides a lasting, smooth and consistent finish

ALL CLASSIC SYSTEM FENCES FIT
20|64, 24|74 AND 35|85
CALF-TEL HUTCHES



Classic **ACCESS** Front with Wire Fence

OUTSIDE L x W x H 183 x 122 x 107 cm | 72" x 48" x 42"

Unique 3-piece design for easy assembly and accessibility. Ultimate convenience, our innovative top-lock door allows for industry-first calf access in an economical containment fence.



Weight and dimensions may vary slightly. Reserve technical changes.

SPECIAL
ORDER
PRODUCT

Classic ACCESS Pairing Fence

OUTSIDE L x W x H 182.9 x 305 x 107.3 cm | 72" x 120.11" x 42.25"

A low cost solution to pairing, with the perfect set-up to raise successful, healthy calves. Doors open inward and outward for easy access to the calves with a middle pairing gate for increased calf interaction.

C-SERIES

FITS
24|74 AND 35|85
CALF-TEL HUTCHES



Elite ACCESS Front with Wire Fence

OUTSIDE L x W x H 183 x 132 x 106 cm | 72" x 52" x 42"

Boosts labor efficiency and cost savings by pairing light weight Classic wire Side Panels with the durable Elite Access Front.

FITS
24|74 AND 35|85
CALF-TEL HUTCHES



SPECIAL
ORDER
PRODUCT



C-SERIES

ELITE SYSTEM

SPECIAL
ORDER
PRODUCT

FITS
24|74 AND 35|85
CALF-TEL HUTCHES



ELITE Single Fence

OUTSIDE L x W x H 160.35 x 130.50 x 101.6 cm | 63.13" x 51.38" x 40"

Built for accessibility and durability, the Elite Single Fence includes Elite Side Panels and the Elite Access Front. The hutch tips into fence or fence tips over hutch for easy cleaning and transportation.



HUTCH TIPPED INTO FENCE



FENCE TIPPED OVER HUTCH



ELITE Pairing Fence

OUTSIDE L x W x H 161.56 x 278.15 x 101.6 cm | 63.31" x 109.51" x 40"

Perfect for pairing, engineered for convenience and labor savings. Hutches tip into fence and fence tips over hutches for easy cleaning. Built with middle pairing gate for increased calf interaction. Engineered with 14-gauge hot dip galvanized steel for maximum durability and longevity.



HUTCH TIPPED INTO FENCE



FENCE TIPPED OVER HUTCH



ELITE PAIRING GATE OPENED

FITS
24 | 74 AND 35 | 85
CALF-TEL HUTCHES

FITS
24 | 74 AND 35 | 85
FULL OPEN AND OFFSET ENTRY
CALF-TEL HUTCHES OR
20 | 64
FULL OPEN CALF-TEL HUTCHES

ELITE Direct Attach Hutch Access

OUTSIDE L x W x H 72.39 x 111.76 cm / 28.5" x 44"

Designed with housing and feeding accommodations all in one, the Elite Direct Attach Hutch Access allows farmers to take advantage of a reduced footprint and economies of scale.





C-SERIES

GROUP YARD

Our **NEW** Calf-Tel Group Yard is a heavy-duty, durable fencing solution that provides extra space for calves and an infinitely modular



8|16 FENCE

OUTSIDE L x W x H

489 x 273 x 109 cm
192" x 107.6" x 43"


WEIGHT

69 kg | 152 lbs

SPECIFICATION

Zinc coated hot dipped
galvanized steel

- Inside-out hot dip galvanization process provides pervasive protection against rust resulting in superior longevity
- Constructed and assembled utilizing our ThruTube fabrication process creating a stronger connection than standard welded steel
- Infinitely modular- Can be bought as one of the systems shown or in individual panels
- Two heavy duty plastic troughs can fit along the front, and one additional can be applied to the side



OPTIONAL V-SHAPED
FRONT TO HELP TRAIN
FOR HEADLOCKS



OPTIONAL 3RD TROUGH CAN BE
APPLIED TO SIDE WATERER PANEL



SUPERIOR DURABILITY
WITHSTANDS HARSH
ENVIRONMENTAL
CONDITIONS






NEW



THRUTUBE EXTENDER LINKS
ALLOW YOU TO ADD PANELS WHILE
REINFORCING STRENGTH AT THE
INTERSECTION



12|16 FENCE



HEADLOCKS AVAILABLE AS AN ADD-ON

OUTSIDE L x W x H	489 x 361 x 109 cm 192" x 142.6" x 43"
WEIGHT	89 kg 197 lbs
SPECIFICATION	Zinc coated hot dipped galvanized steel

INSIDE SIZE WITH MIDDLE PAIRING GATE (1 SIDE)	2.7 METERS
INSIDE SIZE WITHOUT MIDDLE PAIRING GATE	5.4 METERS
INSIDE USEABLE CALF SPACE WITH MIDDLE PAIRING GATE (1 SIDE)	208 x 122 x 180 cm 82" x 48" x 71"
INSIDE USEABLE CALF SPACE WITHOUT MIDDLE PAIRING GATE	208 x 259 x 180 cm 82" x 102" x 71"
WEIGHT – GATE SYSTEM	76.5 lbs / 34.7 kg



REMOVABLE MIDDLE PAIRING GATE
FOR INCREASED CALF INTERACTION


DUPLX GATE SYSTEM

CALF-TEL® SPECIAL ORDER PRODUCTS

CONTACT YOUR CALF-TEL REPRESENTATIVE FOR MORE INFORMATION AND ORDERING INSTRUCTIONS.

14|53

INTERIOR SIZE IN M²	1.4
IMPERIAL DIMENSIONS	5' x 3.5'
OUTSIDE L x W x H	147 x 109 x 117 cm 58" x 43" x 46"
INSIDE USABLE CALF SPACE L x W x H	140 x 102 x 104 cm 55" x 40" x 41"
WEIGHT	17 kg 37 lbs



CALF-TEL PLASTIC FLOOR

A plastic floor that can be added onto existing wood bases for a cleaner, healthier option. Disperses waste better than wood slat floors.

- **Lightweight and easy to move** for cleaning and maintenance
- **One piece** - no construction necessary
- **Cleanliness** - made from a structural, plastic foam making it easy to clean and keep clean so bioburdens aren't a burden
- **Comfort** - Calf-Tel Plastic Floor provides flexible cushioning under the calves weight for added comfort under hoof and while laying down

Grounded in stability and comfort, the Calf-Tel Plastic floor is a perfect base for your calf raising operation.

COVERED UNDER OUR
10 YEAR LIMITED WARRANTY.



17|54



Easy to move, manage and maintain your units. Much easier to clean than wood hutches. Minimizes bedding, feed times and general labor. Fits inside of a standard 8' x 5' wood base and provides more room for the calf.



SPECIAL ORDER



Outer dimensions





CALF-TEL® ACCESSORIES



More information

For more information about Calf-Tel® Accessories visit our website or talk to your local distributor.

Calf-Tel.com



Hutch Tie Down Latch
Attaches to the top of our hutches and tethered by cable to hold in place.



Direct Attach Pail
Attaches to Calf-Tel® Fence Panel and ECS without the need for extra hardware or pail holder. 8 QT capacity. Available in gray and black.



Plastic Latch and Hardware



Star Washer



Grain Feeder



J-Shaped Metal Latch for Flat Back Door



Feed Door Rod



NEW

Plastic Trough
Available as Stand-Alone or Group Yard Attachment. (Small Stand-Alone Trough shown here.)



Pen Stickers




Starter Bowl



Feed Access Door Latch and Hardware



Hardware for Calf Fence Panel



Rear Bedding Door Wire



Calf Tethering Kit



Calf Collar



43 Inch Cable for Calf Tethering Kit



70 Inch Cable for Calf Tethering Kit



Hay Rack: Pen, Fence & Hutch Mount available.



Pro and Deluxe Replacement Base.



L-Rod Attaches fence to hutch.



MultiMax Lifting Bracket.



Pen System Wall Bracket.



6.3 Quart / 6 L Nipple Pail fence mounted.



8.5 Quart / 8 L Heavy Duty Plastic Pail.



Feed-Saver Cover fence mounted.



Heavy duty front Door. For Calf-Tel® 24174 and 35185.



Group Loop for 6' and 7' Pen Systems.



Calf Jacket, Double Insulated, Small and Large Sizes Available



Heavy Duty Double Pail Holder, Hutch Mount.



Heavy Duty Single Pail Holder, Hutch Mount.



Double Pail Holder, Fence Mount.



Single Pail Holder, Fence Mount.



Bottle with Nipple in 2, 3, or 4 quart size.



Chute Style Bottle Holder: Pen, Fence & Hutch Mount available.



Bottle Holder and Attachments: Pen, Fence & Hutch Mount available.



Fluid Feeders, 1 gallon size.



Lower Hutch Vent Covers. For Calf-Tel® 24174 and 35185.



Pro and Deluxe Rear Vent Door. Not for: Pro II / Deluxe II.



Deluxe Hutch Side Door. Not for: Pro II / Deluxe II



Pro II and Deluxe II Rear Bedding Door. Only for: Pro II / Deluxe II.



Deluxe II Hutch Side Door. Only for Calf-Tel® 24174.



54198 Rear Vent Door.

TIMELINE: 1980-2021



1981

GENERATION I CALF-TEL
Our first hutch is introduced.



1983

GENERATION II CALF-TEL
Back of the hutch is updated.



1987

GENERATION III DELUXE & BASIC CALF-TEL HUTCH INTRODUCTION
New features including ridge vent, rear vent, feed options & threshold.



1991

GENERATION IV DELUXE & BASIC CALF-HUTCH
Hutches now manufactured in one piece, no rivets!



1996

GENERATION V PRO
New Pro model turnkey calf raising system, fence and accessories.



2012

GENERATION I XXL CALF-TEL HUTCH
The largest hutch on the market.



2012

GENERATION I ECO CALF-TEL HUTCH
Mid-size hutch space-saving and economical.



2012

GENERATION II INDOOR PEN SYSTEM
Updated pen front with enhanced features.



2013

PREMIUM FENCE
Heavy duty fence with functioning door and optional wheels.



2015

GENERATION III PEN SYSTEM
Updated front with swing in/out door, XL handle & snap.



2021

CLASSIC ACCESS FRONT WITH WIRE FENCE
Light-weight, 3-piece design for easy assembly and accessibility.



2021

ELITE ACCESS FRONT WITH WIRE FENCE
Wire fence sides and heavy-duty front for labor efficiency.



2021

ELITE SINGLE FENCE
Heavy-duty design for durability and longevity.



2021

ELITE PAIRING FENCE
Perfect for pairing.



1997

GENERATION I MULTIMAX TRANSITIONAL GROUP HOUSING

Group Housing hutch that can fit 4-6 calves.



2006

GENERATION I INDOOR PEN SYSTEM

Bringing calves indoors has never been easier.



2006

COMPACT CALF-TEL HUTCH


Our smallest hutch, an efficient solution for short-term needs.



2009

GENERATION VI PRO II & DELUXE II CALF-TEL HUTCH

New rear bedding door and ridge vents.



2011

INDOOR PEN AIRMAX BACK

New back for pen system with added ventilation.



2016

ECS – ELEVATED CALF SYSTEM

Climate controlled, wood alternative, flexible housing.



2018

INDOOR PEN AIRMAX SIDES

Maximum ventilation from all angles.



2019

CALF-TEL HUTCH EXTRUSION BASE


All plastic hutch, option with no pipe base.



2020

15154 & 30158 CALF-TEL STARTER SYSTEM

Short-term housing for customized care.



2021

ELITE DIRECT ATTACH HUTCH ACCESS

Housing and feeding accommodations all in one.



2021

INDOOR PEN BREEZEWAY PANELS

New metal front and back design for pen system.



2021

GENERATION VII 24174 CALF-TEL HUTCH

New customizable features including mega vent door, adjustable top ridge vent, upgraded flat back door, added third rear lower vent, and redesign of hutch sides.



2022

DUPLEX GATE SYSTEM

The Duplex Gate System allows you to pair raise first, then shift to a small group. Suitable for 2 calves with the middle pairing gate, or up to 3 without the middle pairing gate.



2023

XL XTRA 35185 CALF-TEL HUTCH

New customizable features including mega vent door, adjustable top ridge vent, flat back door, optional four rear lower vent, and extrusion base.

WELCOME TO HAMPEL



Ten Year Limited Warranty

10 Year Limited Warranty on all housing systems:

Calf-Tel® O-Series: 20/64 (ECO), 24/74 (Pro II, Deluxe II), 35/85 (XXL)

Calf-Tel® I-Series: 16/44 (Maternity-Pen), 19/54, 22/64, 26/74, 30/84 (Pen-System)

Calf-Tel® Group Housing: 54/98 (MultiMax)

Calf-Tel® Special Order Products: 14/53 (Compact), 17/54 (ECS), Calf-Tel Plastic Floor

Made by



HAMPEL

Hampel – Manufacturer of Calf-Tel® Products.

Hampel is a manufacturer of thermoformed plastic products in Germantown, Wisconsin. Founded in 1976 by Lance T. Hampel, specializing in heavy gauge, deeply drawn thermoformed plastics that are sold on a proprietary and custom basis.

Calf-Tel® USA Corporate Office

W194 N11551 McCormick Drive
Germantown, Wisconsin 53022

Calf-Tel.com

(800) 558-8558

+1 262 255-4540

Calf-Tel® Europe

Unter der Halde 24
D-89610 Oberdischingen
Deutschland

Calf-Tel.com/de

+49 (0)7305 926 780

E-Mail: Calf-Tel@HampelGmbH.com

International Distribution:

For a complete list of international distribution partners, visit our website.

Calf-Tel.com







W194 N11551 McCormick Drive
Germantown, Wisconsin 53022

Calf-Tel.com
(800) 558-8558

HEART MEETS SMART