# PRODUCT CATALOG







## OVER 40 YEARS OF CALF MANAGEMENT EXPERTISE

#### Partnering with calf professionals to design the most innovative calf housing options

Over the past 40 years, we've learned to listen, because of you, the most progressive farmer who puts the calf first. Innovation follows as we've prioritized the welfare of the calf — producing industry leading product. We continue to grow and expand our product offering as we listen to your needs. We look forward to continuing to produce the best calf housing for you, from you, the calf professional.

Calf-Tel®. Heart. Meets. Smart.



## **CONTENTS**

| HEART. MEETS. SMART.   | ALF-I EL   | 5                          |
|------------------------|--|----------------------------|
| PRODUCT COMPARISON     | HOUSING CUSTOMIZER   | 6                          |
| OUTDOOR                | OVERVIEW<br>SMALL<br>MEDIUM<br>LARGE                             | 10<br>12<br>14<br>16       |
| GROUP                  | GROUP HUTCH  | 18                         |
|                        | МАММОТН  | 20                         |
| INDOOR                 | OVERVIEW<br>4'5", 5' PENS<br>6', 7' PENS<br>8' PEN<br>BREEZEWAYS | 24<br>27<br>28<br>29<br>30 |
| STARTER                | SINGLE STARTER   | 32                         |
| CALF FENCES            | CLASSIC SYSTEM ELITE SYSTEM GROUP YARD                           | 34<br>36<br>38             |
| SPECIAL ORDER PRODUCTS | COMPACT, PLASTIC FLOOR<br>ECS                                    | 40<br>41                   |
| ACCESSORIES            |  | 42                         |
| TIMELINE: 1981-2025    |  | 44                         |
| CONTACT                |  | 46                         |

# THIS IS WHAT MAKES IT A CALF-TEL®

#### THERMOFORMING ADVANTAGE

Using our innovative thermoforming technology, we've continually evolved and increased our products' durability, UV resilience, ventilation and hygiene. We thermoform Calf-Tel hutches out of extruded sheets of polyethylene. This process results in a molecular bonding within the plastic that is far superior to any other form of manufacturing — providing unmatched strength and durability. With this, we've helped farmers like you raise healthier calves — and make more money!





#### We Go with the Flow

Ventilation is critical in limiting respiratory illness and eliminating heat stress. The flow of air is strategically engineered into Calf-Tel® hutches, our Medium and Large Hutches are designed with an extra-large ventilation opening (largest in the industry) for maximum comfort and breathability. Our indoor pen systems feature the AirMax panel for improved air-flow in challenging conditions.



#### Climate-Controlled Comfort

The opaque material of our hutches help keep your calves cooler in the summer and dry on those cold winter days. The plastic contains a layer of titanium dioxide to protect UV rays from breaking down the product over time.



#### We Promote Biosecurity

Calf-Tel's smooth surfaces don't have any pores, making them not only impervious to said undesirables, but super-easy to clean and maintain. When combined with proper management practices, calf raisers have found that our housing systems contribute to lower mortality, morbidity and overall treatment costs leading to enhanced calf growth.



#### **Money Talks**

For over 40 years, Calf-Tel\* has been developing products that are built to stand the test of time. Longer lasting product leads to lower lifetime costs. Combine this with the cost savings and benefits of superior calf health and you can see why approximately 2 million calves are raised in Calf-Tel\* housing systems worldwide each year.

**HEART. MEETS. SMART.** 

Calf Care Backed by Cutting-Edge Solutions

Our customers care deeply for the health and welfare of their animals, and they boldly invest in new technologies, seek better methods, and embrace innovation that drives their farms forward. Calf-Tel stands beside them with advanced, reliable housing solutions that match their dedication and fuel their progress.

Together, we set a new standard for what's possible.





**HEART** 





MEETS



**SMART** 



## **HOUSING CUSTOMIZER**

| Product Name  | Interior Size<br>in m² | Imperial<br>Dimensions | Outside L×W×H                               | Inside Usable Calf Space                    | Weight          | Base           | Option                             |
|---------------|------------------------|------------------------|---|---|-----------------|----------------|------------------------------------|
| SMALL         | 2.0                    | 6'×4'                  | 187 x 118 x 137 cm<br>73.5" x 46.5" x 54.5" | 179 x 110 x 122 cm<br>70.5" x 43.5" x 48"   | 21 kg<br>46 lbs | Pipe           | d Base                             |
| Product Name  | Interior Size<br>in m2 | Imperial<br>Dimensions | Outside L×W×H                               | Inside Usable<br>Calf Space                 | Weight          | Base Options   | Front Opening Options              |
| MEDIUM MEDIUM | 2.4                    | 7' x 4'                | 223.52 x 128 x 140 cm<br>88" x 48" x 55"    | 212 x 114 x 124 cm<br>83.5" x 45" x 49"     | 35 kg<br>78 lbs | Extrusion Base | Full Open  Right Entry  Left Entry |
| Product Name  | Interior Size<br>in m2 | Imperial<br>Dimensions | Outside L×W×H                               | Inside Usable<br>Calf Space                 | Weight          | Base Options   | Front Opening Options              |
|               | 3.5                    | 8' × 5'                | 247 x 157.5 x 155 cm<br>97.25" x 62" x 61"  | 243 x 146 x 136 cm<br>95.5" x 57.5" x 53.5" | 43 kg<br>94 lbs | Extrusion Base | Full Open  Right Entry             |
| LARGE         |                        |                        |   |   |                 |                |                                    |

Left Entry



**Optional Rear** Optional Bottle Holder Front Opening Options **Rear Door Options Optional Feed Door Optional Fences** Elite Direct Attach Comfort Classic Wire Flat Back Right Bedding Classic Access Front **Hutch Access** Chute Wire Fence Door Door with Wire Fence Full open Entry Fence on Full Open only Optional Optional Ridge Vent Optional Weather Guard Optional Bottle Holder **Rear Door Options Rear Vents Mega Vent Options** Feed Door Top Cap 3 Rear Vents Chute 3 Windows Flat Back Door Left Wire No Vents Cut Full Open **Bedding Door** Right COMPATIBLE WITH ALL C-SERIES FENCING (SEE PAGES 34-37) Mega Vent Door Optional Optional Ridge Vent Optional Weather Guard **Rear Door Options Rear Vents Optional Bottle Holder Mega Vent Options** Feed Door Top Cap 4 Rear Vents Chute Full Open Flat Back Door Left Wire No Vents Cut Wire Calf Keeper **Bedding Door** Right

3 Windows

Mega Vent Door

COMPATIBLE WITH ALL CALF-TEL FENCING (SEE PAGES 34-37)

## HOUSING CUSTOMIZER (CONTINUED)

|                                  |    |                   |                        |                        | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,       | ,  |                                     |                   |                      |                       |
|----------------------------------|----|-------------------|------------------------|------------------------|---|--|-------------------------------------|-------------------|----------------------|-----------------------|
|                                  |    | Product Name      | Interior Size<br>in m² | Imperial<br>Dimensions | Outside L×W×H                                 | Inside Usable Calf Space                           | Weight                              |                   | Base Option          |                       |
| GROUP<br>HOUSING                 |    | GROUP<br>HUTCH    | 5.4                    | 9' x 8'                | 220 x 273 x 183 cm<br>86.5" x 107.5" x 72"    | 208 × 259 × 180 cm<br>82" × 102" × 71"             | 107 kg<br>235 lbs                   | -                 |                      | -                     |
|                                  |    | МАММОТН           | 8.91                   | 11' x 8.83'            | 350 x 300 x 210 cm<br>137.8" x 118.2" x 82.7" | 329.9 x 269.9 x 210 cm<br>129.92" x 106.3" x 82.7" | 204.1 kg<br>450 lbs                 | -                 |                      | _                     |
|                                  |    | Product Name      | Interior Size<br>in m2 | Imperial<br>Dimensions | Outside L×W×H                                 | Inside Usable Calf Space                           | Weight                              | Pe                | en Front Options     |                       |
|                                  | H. | 4'5" PEN          | 1.6                    | 4.5' x 4'              | 135 x 122 x 114 cm<br>4.5' x 4' x 3.75'       | -  | 43 kg<br>95 lbs                     | Standard<br>Gen 3 | Compact<br>Breezeway | Standard<br>Breezeway |
| INDOOR<br>INDOOR  INDOOR  INDOOR |    | 5' PEN            | 1.9                    | 5' x 4'                | 152 x 122 x 114 cm<br>5' x 4' x 3.75'         | -  | 47 kg<br>103 lbs                    | Standard<br>Gen 3 | Compact<br>Breezeway | Standard<br>Breezeway |
|                                  | 10 | 6' PEN            | 2.2                    | 6' x 4'                | 183 x 122 x 114 cm<br>6' x 4' x 3.75'         | -  | Starting at*:<br>51 kg / 113<br>lbs | Standard<br>Gen 3 | Compact<br>Breezeway | Standard<br>Breezeway |
|                                  |    | 7' PEN            | 2.6                    | 7' x 4'                | 213 x 122 x 114 cm<br>7' x 4' x 3.75'         | -  | Starting at*:<br>56 kg / 123<br>lbs | Standard<br>Gen 3 | Compact<br>Breezeway | Standard<br>Breezeway |
|                                  |    | 8' PEN            | 3.0                    | 8' x 4'                | 244 x 122 x 114 cm<br>8' x 4' x 3.75'         | -  | 60 kg<br>133 lbs                    | Standard<br>Gen 3 | Compact<br>Breezeway | Standard<br>Breezeway |
| TER                              |    | Product Name      | Interior Size<br>in m2 | Imperial<br>Dimensions | Outside L×W×H                                 | Inside Usable Calf Space                           | Weight                              |                   | Bas                  | se Options            |
| STARTER HOUSING                  |    | SINGLE<br>STARTER | 1.5                    | 5' x 4'                | 152 x 114.3 x 114.3 cm<br>59.5" x 45" x 45"   | 137 x 98.56 x 99.5 cm<br>54" x 38.8" x 39.2"       | 31 kg<br>68.5 lbs                   | Extrusion         |                      | Legs                  |



#### Optional Systems













**Side Panel Options** Optional Bottle Holder **Back Panel Options** 































































Compact Steel

Solid

















Compact Wire













































Solid





**Optional Front Wheels** 



Optional Bottle Holder



Optional Floor



None




Front Wheels

Chute

Floor must be used with base

## CALF-TEL® OUTDOOR HUTCHES



# OUTDOORS

Whatever your needs, we have a calf hutch for you. Our outdoor calf hutches protect your calves from the elements while maintaining integrity and durability for many years. From small to large, our calf hutches are designed with industry-leading features and can be customized to keep your calves healthy and comfortable.



**REAR BEDDING DOOR** XXL-Sized bedding door on the back. Maximum ventilation — comfortable access.



**MEGA VENT DOOR** Available on Medium and Large Calf-Tel hutches only. Largest vent opening on the market.












Our extrusion plastic base with structured flexibility, virtually impervious to destruction.





Optional feeding doors on right or left side with inside feeding station.



## **OUTDOOR CALF HUTCHES**

# **SMALL**

With a small footprint, easy calf access and convenient features, the **Small**, our mid-size calf hutch, is perfect for large ranches that need to maximize efficiency and economies of scale.

| INTERIOR SIZE IN M <sup>2</sup>       | 2.0                                       |
|---------------------------------------|---|
| IMPERIAL DIMENSIONS                   | 6' x 4'                                   |
| OUTSIDE L x W x H                     | 187 x 118 x 138 cm<br>73.5" x 46.5" x 54" |
| INSIDE USABLE CALF SPACE<br>L x W x H | 179 x 110 x 122 cm<br>70.5" x 43.5" x 48" |
| WEIGHT                                | 20 kg<br>43 lbs                           |



- Outer dimensions

BASE OPTIONS



LOWER REAR VENT

Not Available

FRONT OPENING OPTIONS



Full Open



Right Entry

OPTIONAL FEED DOOR

Not Available

REAR DOOR OPTIONS



Bedding Door



Flat Back Door

OPTIONAL FENCES



Classic Wire Fence



Comfort Fence





Elite Direct Attach Hutch Access




"We have used Calf-Tel hutches for over 8 years with great success. We have over 330 hutches and think they are a great way to raise calves. I am a big believer in Calf-Tel." JIM VAN PATTER







Feeding Station



~122 cm

Dimensions with standard fence




## **OUTDOOR CALF HUTCHES**

# **MEDIUM**

Our standard-size calf hutch with newly redesigned features for maximum ventilation. With new structural upgrades and fully customized features, this calf hutch will reinvent how you manage your calf operation. It is also equipped with our all-plastic extrusion base with structured rigidity that won't freeze to the ground.

| INTERIOR SIZE IN M <sup>2</sup>       | 2.4                                      |
|---------------------------------------|--|
| IMPERIAL DIMENSIONS                   | 7' x 4'                                  |
| OUTSIDE L x W x H                     | 223.52 x 128 x 140 cm<br>88" x 48" x 55" |
| INSIDE USABLE CALF SPACE<br>L x W x H | 212 x 114 x 124 cm<br>83.5" x 45" x 49"  |
| WEIGHT                                | 35 kg<br>78 lbs                          |









Right Feed Door

Elite Direct Attach Hutch Access

Elite Pairing Fence

| BASE                     |              |             | Extrusion      |
|--------------------------|--------------|-------------|----------------|
| FRONT OPENING<br>OPTIONS | Full Open    | Right Entry | Left Entry     |
|                          | Tull Open    |             |                |
| REAR DOOR<br>OPTIONS     | Bedding Door |             | Mega Vent Door |
| LOWER REAR VENT          | No Vents     |             | 3 Vents        |












## **OUTDOOR CALF HUTCHES**

# LARGE

Our largest outdoor calf hutch available. It's 44% bigger than our Medium and 26% larger than other Large hutches on the market. When a larger size calf hutch is preferred due to climate or long-term needs, this extralarge calf hutch is the right choice. The spaciousness also makes it the perfect hutch for pairing calves.

| INTERIOR SIZE IN M <sup>2</sup>       | 3.5   |
|---------------------------------------|---|
| IMPERIAL DIMENSIONS                   | 8' x 5'                                     |
| OUTSIDE L x W x H                     | 247 x 157.5 x 155 cm<br>97.25" x 62" x 61"  |
| INSIDE USABLE CALF SPACE<br>L x W x H | 243 x 146 x 136 cm<br>95.5" x 57.5" x 53.5" |
| WEIGHT                                | 43 kg<br>95 lbs                             |







FRONT OPENING OPTIONS


Full Open Right Entry

REAR DOOR OPTIONS


Bedding Door


4 Rear Vents

No Vents











## GROUP HOUSING


GROUP CALF HUTCH

When calves raised individually are placed in large groups, the stress from competition and social pressure can lead to setbacks in growth and health. The **Group Calf Hutch** provides just the right environment for this important transition and stage of development.

| INTERIOR SIZE IN M <sup>2</sup>       | 5.4  |
|---------------------------------------|--|
| IMPERIAL DIMENSIONS                   | 9' x 8'                                    |
| OUTSIDE L x W x H                     | 220 x 273 x 183 cm<br>86.5" x 107.5" x 72" |
| INSIDE USABLE CALF SPACE<br>L x W x H | 208 x 259 x 180 cm<br>82" x 102" x 71"     |
| WEIGHT                                | 107 kg<br>235 lbs                          |







Optional lifting bracket, designed to fit a front loader blade, evenly distributes weight making moving the hutch effortless.





#### COMMON WAYS THE GROUP CALF HUTCH IS



Prepared Site: Place the Group Calf Hutch on a well-drained surface (gravel, crushed stone or sand).

This will keep calves dry and



Rotating Site: Place one Group Calf Hutch in a small pasture and move the unit and its pen periodically.

For Fence options see page 38



Large Common Pasture: Place multiple Group Calf Hutch in a large pasture with bigger groups. Position the units near each other, as the herd will not separate to housing in different locations.



#### **DUPLEX GATE SYSTEM**

Looking to transition your calves from the start? Our NEW Duplex gate allows you to pair raise calves using the Group Calf Hutch and remove the middle pairing gate when ready.

## **GROUP HOUSING**



# MAMMOTH

At Calf-Tel, we believe the future of dairy starts with strong calves. That's why we created the Mammoth—designed for group housing or postweaned transitions, it offers 110 sq. ft. of space, superior airflow, and unmatched durability with high molecular weight polyethylene.

| INTERIOR SIZE IN M <sup>2</sup>       | 8.9  |
|---------------------------------------|--|
| IMPERIAL DIMENSIONS                   | 11' x 8.83'  |
| OUTSIDE L x W x H                     | 350 x 300 x 210 cm<br>137.8" x 118.1" x 82.7"      |
| INSIDE USABLE CALF SPACE<br>L x W x H | 329.9 x 269.9 x 210 cm<br>129.92" x 106.3" x 82.7" |
| WEIGHT                                | 204.1 kg<br>450 lbs                                |



- Outer dimensions

# The Calf-Tel Mammoth is the largest calf housing unit we have ever produced.



#### LIFTING BRACKET INCLUDED

For safety reasons, the Mammoth should always be lifted using the supplied Lifting Device and should not be tipped up onto sides or ends.





# Complete the System with the Calf-Tel Group Yard!

Heavy-duty, durable fencing solution that provides extra space for calves and an infinitely modular setup experience for the producer.

Zinc coated hot dip galvanized steel






**SPECIFICATION** 

# GROUP HOUSING





CALF-TEL

## **Mammoth Space**

#### An impressive 110 square ft in total footprint.

- 6.9 ft tall
- 9.8 ft in width
- 11.5 ft in length

## **Mammoth Construction**

- Built from high molecular weight polyethylene giving it the durability and strength of other Calf-Tel products you know.
- Built to last the Mammoth is nearly indestructible



Rear and side openings provide ventilation for continuous airflow

#### MAMMOTH SPACE. MAMMOTH FLEXIBILITY. MAMMOTH RESULTS.




transportation - No wood!

- 4 main structural components for easy assembly
- Minimal hardware required
- Streamlined ventilation ports provide additional airflow

automated bedding equipment

Additional ventilation on rear bottom doors



# INDOOR CALF HOUSING 81 / 244 cm 7' / 213 cm 6' / 183 cm 5' / 152 cm 4.5' / 135 cm - Outer dimensions For additional measurements and details on the pen

# INDOORS

dimensions please visit Calf-Tel.com or contact your


Calf-Tel Sales Representative


We offer flexible, modular solutions for your indoor spaces. Our indoor pens help meet the challenges of indoor raising with maximum ventilation, versatility and ease of cleaning. Many customizable features allow you to create a pen that meets your needs and fits your space.




Compact Breezeway Front Panels shown with optional Chute Bottle Holders and Direct Attach Pails.







#### **SITE LAYOUTS**





Our 6, 7 and 8 ft pens now feature ALL-NEW metal knuckles bringing next-level strength and performance to the pen you already trust.




Compact Breezeway Front Panel & Back Panel



Standard Breezeway Front Panel & Back Panel

## **INDOOR CALF HOUSING**









# 4'5" PEN


Free-standing indoor maternity calf pen takes up less space, providing added flexibility and cost savings for short-term housing.


# 5' PEN

This pen size, only available with AirMax sides, for calf producers looking to slowly acclimate calves to the group or for standalone raising. Providing maximum ventilation from all angles.









INTERIOR SIZE IN M2


#### INDOOR CALF HOUSING

# 6' PEN

Indoor calf pens that can easily grow with you herd or be taken down during slower production times. Creating versatile indoor calf housing that meets your needs.



| IMPERIAL DIMENSIONS | 6' x 4'                              |
|---------------------|--------------------------------------|
| OUTSIDE L x W x H   | 183 x 122 x 114 cm   6' x 4' x 3.75' |
| WFIGHT              | Starting at 51 kg   113 lbs          |



# **7'** PEN

A modular indoor calf pen solution that easily flexes based on your operation and herd needs. Many enhanced features improve productivity and efficiency.



| PEN FRONT<br>OPTIONS         | Standard Gen 3 | Compact Breeze |                     | Standard<br>Breezeway    |  |
|------------------------------|----------------|----------------|---------------------|--------------------------|--|
| SIDE PANEL<br>OPTIONS        | Solid          | Windows        | A                   | Airmax                   |  |
| BACK<br>PANEL<br>OPTIONS     | Windows AirMax |                | indard<br>Steel Com | pact Compact<br>re Steel |  |
| OPTIONAL<br>BOTTLE<br>HOLDER | Chute          |                |                     | Wire                     |  |

# 8' PEN


Modular calf pen system that is able to expand with your herd. The extended 8' length helps provide added space for your calf to grow.



 IMPERIAL DIMENSIONS
 8' x 4'

 OUTSIDE L x W x H
 244 x 122 x 114 cm | 8' x 4' x 3.75'

 WEIGHT
 60 kg | 133 lbs







#### INDOOR CALF HOUSING

## **BREEZEWAY**

Indoor Pen System



#### Compact **BREEZEWAY** Panels

Compact Breezeway Panels are modular solution allowing dairy farmers to take full advantage of their indoor space and provide an ideal micro-environment for the animal. Resulting in superior airflow and ventilation and a healthier, happier herd.



FRONT AND BACK PANEL DIMENSIONS W x H

81.3 x 114.3 cm | 32" x 45"

PEN FRONT WEIGHT

12 kg | 26 lbs



#### Standard **BREEZEWAY** Panels

The Standard Breezeway Panels give calves extra space while still utilizing indoor calf barn space efficiently. The open panel design provides the calf access to fresh air and cleaner ventilation.



117.47 x 114.3 cm | 46.25" x 45"

PEN FRONT WEIGHT

FRONT AND BACK PANEL DIMENSIONS W x H

14.5 kg | 32 lbs









# SINGLE STARTER


Add flexibility to your calf program with the **Complete Starter System**. Whether it be on farms for individualized calf care, a depot facility or for a maternity facility the Starter System is the perfect short-term housing option. Includes many built-in features and additional options.

CALF-TEL STATER SYSTEM

| INTERIOR SIZE IN M <sup>2</sup>                         | 1.5  |
|---|--|
| IMPERIAL DIMENSIONS                                     | 5' x 4'  |
| OUTSIDE L x W x H                                       | 152 x 114.3 x 114.3 cm<br>59.5" x 45" x 45"          |
| INSIDE USABLE CALF SPACE<br>L x W x H                   | 137 x 98.56 x 99.5 cm<br>54" x 38.8" x 39.2"         |
| STARTER UNIT WEIGHT WEIGHT WITH WHEELS WEIGHT WITH LEGS | 31 kg   68.5 lbs<br>44 kg   98 lbs<br>39 kg   86 lbs |













# CALF FENCES

Containment systems are every bit as important to the staff as they are the calf. Our thoughtful designs focus on safety and feeding efficiency for the calf and convenience and strength for the producer.

## CLASSIC SYSTEM

ALL CLASSIC SYSTEM FENCES FIT
SMALL, MEDIUM AND LARGE
CALF-TEL HUTCHES



#### **CLASSIC** Wire Fence

OUTSIDE L x W x H

183 x 122 x 107 cm | 72" x 48" x 42"

Economic design combined with convenient features. Pre-dipped galvanized provides a lasting, smooth and consistent finish







#### **COMFORT FENCE**

OUTSIDE L x W x H

150 x 125 x 100 cm | 57" x 47" x 39"

Stable design — reduces the amount of work and improves the health of the calves. The Calf-Tel Comfort Fence provides dairy farmers with an efficient fencing system that significantly reduces the amount of work and improves calf care.

FITS
MEDIUM AND LARGE
CALF-TEL HUTCHES

## Elite **ACCESS** Front with Wire Fence

OUTSIDE L x W x H

183 x 132 x 107 cm | 72" x 52" x 42"

Boosts labor efficiency and cost savings by pairing light weight Classic wire Side Panels with the durable Elite Access Front.

FITS
MEDIUM AND LARGE
CALF-TEL HUTCHES





## **ELITE** SYSTEM





HUTCH TIPPED INTO FENCE

## **ELITE** Single Fence

OUTSIDE L x W x H

160.35 x 130.50 x 101.6 cm | 63.13" x 51.38" x 40"

Built for accessibility and durability, the Elite Single Fence includes Elite Side Panels and the Elite Access Front. The hutch tips into fence or fence tips over hutch for easy cleaning and transportation.



FENCE TIPPED OVER HUTCH



**ELITE** Pairing Fence

OUTSIDE L x W x H

161.56 x 278.15 x 101.6 cm | 63.31" x 109.51" x 40"

Perfect for pairing, engineered for convenience and labor savings. Hutches tip into fence and fence tips over hutches for easy cleaning. Built with middle pairing gate for increased calf interaction. Engineered with 14- gauge hot dip galvanized steel for maximum durability and longevity.



HUTCH TIPPED INTO FENCE



FENCE TIPPED OVER HUTCH



FLITE PAIRING GATE OPENED

# FITS MEDIUM AND LARGE CALF-TEL HUTCHES

**FITS** 

## MEDIUM AND LARGE

FULL OPEN AND OFFSET ENTRY CALF-TEL HUTCHES OR

**SMALL** 

**FULL OPEN CALF-TEL HUTCHES** 

## **ELITE** Direct Attach Hutch Access

OUTSIDE L x W x H

72.39 x 111.76 cm / 28.5" x 44"

Designed with housing and feeding accomodations all in one, the Elite Direct Attach Hutch Access allows farmers to take advantage of a reduced footprint and economies of scale.





## **GROUP YARD**

Our **NEW** Calf-Tel Group Yard is a heavy-duty, durable fencing solution that provides extra space for calves and an infinitely modular






OUTSIDE L x W xH 489 x 273 x 109 cm
192" x 107.6" x 43"

WEIGHT 69 kg I 152 lbs

SPECIFICATION Zinc coated hot dipped galvanized steel



107"/273 cm

- Constructed and assembled utilizing our ThruTube fabrication process creating a stronger connection than standard welded steel
- Infinitely modular- Can be bought as one of the systems shown or in individual panels
- Two heavy duty plastic troughs can fit along the front, and one additional can be applied to the side



96.2" | 244 cm

OPTIONAL V-SHAPED FRONT TO HELP TRAIN FOR HEADLOCKS



96.2" | 244 cm

OPTIONAL 3RD TROUGH CAN BE APPLIED TO SIDE WATERER PANEL






SUPERIOR DURABILITY WITHSTANDS HARSH ENVIRONMENTAL CONDITIONS











HEADLOCKS AVAILABLE AS AN ADD-ON

| INSIDE SIZE WITH MIDDLE<br>PAIRING GATE (1 SIDE)                  | 8.8 FT                                 |
|---|--|
| INSIDE SIZE WITHOUT MIDDLE PAIRING GATE                           | 17.7 FT                                |
| INSIDE USEABLE CALF SPACE<br>WITH MIDDLE PAIRING GATE<br>(1 SIDE) | 208 x 122 x 180 cm<br>82" x 48" x 71"  |
| INSIDE USEABLE CALF SPACE<br>WITHOUT MIDDLE PAIRING GATE          | 208 x 259 x 180 cm<br>82" x 102" x 71" |
| WEIGHT — GATE SYSTEM  | 76.5 lbs / 34.7 kg                     |





489 x 361 x 109 cm 192" x 142.6" x 43"

Zinc coated hot dipped galvanized steel

89 kg | 197 lbs

OUTSIDE L x W xH

**SPECIFICATION** 

WEIGHT

REMOVABLE MIDDLE PAIRING GATE FOR INCREASED CALF INTERACTION



# CALF-TEL® SPECIAL ORDER PRODUCTS

CONTACT YOUR CALF-TEL REPRESENTATIVE FOR MORE INFORMATION AND ORDERING INSTRUCTIONS.

## COMPACT

| INTERIOR SIZE IN M <sup>2</sup>       | 1.4                                   |
|---------------------------------------|---------------------------------------|
| IMPERIAL DIMENSIONS                   | 5' x 3.5'                             |
| OUTSIDE L x W x H                     | 147 x 109 x 117 cm<br>58" x 43" x 46" |
| INSIDE USABLE CALF SPACE<br>L x W x H | 140 x 102 x 104 cm<br>55" x 40" x 41" |
| WEIGHT                                | 17 kg   37 lbs                        |



# The Calf-Tel Compact is the most efficient solution for smaller sized calves or shorter-term calf housing needs.

The Calf-Tel Compact is easy to clean, store and transport. When space is a concern, the Calf-Tel Compact's reduced footprint increases the number of hutches you can use in a given area. The standard, one-of-a-kind, fully adjustable rear door is ideal for ease of bedding and increased ventilation.











# CALF-TEL PLASTIC FLOOR

A plastic floor that can be added onto existing wood bases for a cleaner, healthier option. Disperses waste better than wood slat floors.

- Lightweight and easy to move for cleaning and maintenance
- One piece no construction necessary
- Cleanliness made from a structural, plastic foam making it easy to clean and keep clean so bioburdens aren't a burden
- Comfort Calf-Tel Plastic Floor provides flexible cushioning under the calves weight for added comfort under hoof and while laying down

Grounded in stability and comfort, the Calf-Tel Plastic floor is a perfect base for your calf raising operation.

COVERED UNDER OUR 10 YEAR LIMITED WARRANTY.

## CALF-TEL® ACCESSORIES



## More information

To view full specifications—including weight, size, and more—on all Calf-Tel® Accessories, visit our website or connect with your local distributor.

## Calf-Tel.com





#### Direct Attach Pail

Attaches to Calf-Tel® Fence Panel and ECS/wood without the need for extra hardware or pail holder. 8 and NEW 10 QT capacity. Available in gray and black.

Part Numbers:

8qt.: Black/Fence Mount - CT-10040, Black/Wood/ECS - CT-10043 Gray/Fence - CT-10041, Gray/Wood/ECS - CT-10042

10qt.: Black/Fence Mount - CTA-1004, Black/Wood/ECS - CTA-1006 Gray/Fence - CTA-1003, Gray/Wood/ECS - CTA-1005



Calf Jacket, Double Insulated, Small and Large Sizes Available Part Numbers:

Small- CT-CB-05, Large - CT-CB-03



Bottle in 2, 3, or 4 quart size. Must purchase nipple seperately.

Part Numbers:

2 Quart - CTA-1007

8.5 Quart / 8 L Heavy Duty Plastic Pail.

Part Numbers:

White- CH-3298, Black - CH-3295



Heavy duty front Door. For Calf-Tel® 24I74 and 35I85. Part Numbers: CT-7000K



**Bottle Holder and Attachments:** 

Pen. Fence & Hutch Mount available. Part Numbers:

Hutch Mount, 2 Quart - CH-3220B-1

Hutch Mount, 3 Quart / 4 Quart - CH-3220-3L

Pen Mount, 2 Quart - CH-6115K

Pen Mount, 3 Quart / 4 Quart - CH-6115K-3L

Fence Mount. 2 Quart - CH-9777

Fence Mount, 3 Quart / 4 Quart - CH-9778-3L



6.3 Quart / 6 L Nipple Pail fence mounted. Part Number:

CTA-1011



Feed-Saver Cover fence mounted. Part Number: CH-4010



Chute Style Bottle Holder: Pen, Fence & Hutch Mount available.

Part Numbers: Hutch - CT-10015AH Pen/ECS - CT-10015AP Fence - CTC-1041



Metal Chute Bottle Holder: Part Numbers: CTC-1045









Hay Rack: Pen, Fence & Hutch Mount available. Part Numbers: Fence Mount - CH-3325 Hutch Mount - CH-3326 Pen Mount - CT-6190

L-Rod Attaches fence to hutch. Part Numbers: CH-3332A

MultiMax Lifting Bracket. Part Numbers: CT-6192

Pen System Wall Bracket. Part Numbers: CT-6191K








Heavy Duty Single Pail Holder, Hutch Mount. Part Numbers: CT-3215S



Double Pail Holder, Fence Mount. Part Numbers: CH-3219



Group Loop for 6', 7' and 8' Pen Systems. Part Numbers: CT-6310K (6ft) /CT-6320K (7ft) /CT-6330K (8ft)



Fluid Feeders, 1 gallon size. Part Numbers: CT-4QTSSTF



Single Pail Holder, Fence Mount. Part Numbers: CH-3219S

## **TIMELINE: 1980-2025**



1981

GENERATION I CALF-TEL
Our first hutch is introduced.



1983

GENERATION II CALF-TEL
Back of the hutch is updated.



1987

## GENERATION III DELUXE & BASIC CALF-TEL HUTCH INTRODUCTION

New features including ridge vent, rear vent, feed options & threshold.



1991

## GENERATION IV DELUXE & BASIC CALF-HUTCH

Hutches now manufactured in one piece, no rivets!



1996

#### **GENERATION V PRO**

New Pro model turnkey calf raising system, fence and accessories.



#### 2012

## GENERATION I XXL CALF-TEL HUTCH

The largest hutch on the market.



## 2012

#### GENERATION I ECO CALF-TEL HUTCH

Mid-size hutch space-saving and economical.



## 2012

## GENERATION II INDOOR PEN SYSTEM

Updated pen front with enhanced features.



## 2013

#### PREMIUM FENCE

Heavy duty fence with functioning door and optional wheels.



## 2015

#### GENERATION III PEN SYSTEM

Updated front with swing in/out door, XL handle & snap.



## 2021

## CLASSIC ACCESS FRONT WITH WIRE FENCE

Light-weight, 3-piece design for easy assembly and accessibility.



## 2021

## ELITE ACCESS FRONT WITH WIRE FENCE

Wire fence sides and heavyduty front for labor efficiency.



## 2021

#### **ELITE SINGLE FENCE**

Heavy-duty design for durability and longevity.



## 2021

#### **ELITE PAIRING FENCE**

Perfect for pairing.



## 2021

## ELITE DIRECT ATTACH HUTCH ACCESS

Housing and feeding accommodations all in one.





GENERATION I MULTIMAX TRANSITIONAL GROUP HOUSING

Group Housing hutch that can fit 4-6 calves.



2006

#### GENERATION I INDOOR PEN SYSTEM

Bringing calves indoors has never been easier.



2006

#### COMPACT CALF-TEL HUTCH Our smallest hutch, an

our smallest hutch, an efficient solution for short-term needs.



2009

## GENERATION VI PRO II & DELUXE II CALF-TEL HUTCH

New rear bedding door and ridge vents.



#### 2011

#### INDOOR PEN AIRMAX BACK

New back for pen system with added ventilation.



## 2016

## ECS — ELEVATED CALF SYSTEM Climate controlled, wood alternativ

Climate controlled, wood alternative, flexible housing.



## 2018

#### INDOOR PEN AIRMAX SIDES

Maximum ventilation from all angles.



## 2019

## CALF-TEL HUTCH EXTRUSION BASE

All plastic hutch, option with no pipe base.



## 2020

## 15I54 & 30I58 CALF-TEL STARTER SYSTEM

Short-term housing for customized care.



## 2021

## INDOOR PEN BREEZEWAY PANELS

New metal front and back design for pen system.



## 2021

## GENERATION VII 24174 CALF-TEL HUTCH

New customizable features including mega vent door, adjustable top ridge vent, upgraded flat back door, added third rear lower vent, and redesign of hutch sides.



## 2022

#### **DUPLEX GATE SYSTEM**

The Duplex Gate System allows you to pair raise first, then shift to a small group. Suitable for 2 calves with the middle pairing gate, or up to 3 without the middle pairing gate.



## 2023

#### XL XTRA 35185 CALF-TEL HUTCH

New customizable features including mega vent door, adjustable top ridge vent, flat back door, optional four rear lower vent, and extrusion base.



## 2025

#### **CALF-TEL MAMMOTH**

The Calf-Tel Mammoth is the largest calf housing unit we have ever produced. It provides a generous 110 sq. ft. in total footprint with enhanced airflow and durability.





## **Ten Year Limited Warranty**

10 Year Limited Warranty on all housing systems:

Calf-Tel® Outdoor Housing: Small, Medium, Large
Calf-Tel® Indoor Housing: Calf-Tel Pen-System
Calf-Tel® Group Housing: Group Calf Hutch, Calf-Tel Mammoth
Calf-Tel® Special Order Products: Compact, ECS, Calf-Tel Plastic Floor

Made by



## Hampel – Manufacturer of Calf-Tel® Products.

Hampel is a manufacturer of thermoformed plastic products in Germantown, Wisconsin. Founded in 1976 by Lance T. Hampel, specializing in heavy gauge, deeply drawn thermoformed plastics that are sold on a proprietary and custom basis.

## Calf-Tel® USA Corporate Office

W194 N11551 McCormick Drive Germantown, Wisconsin 53022 Calf-Tel.com (800) 558-8558 +1 262 255-4540

## Calf-Tel® Europe

Unter der Halde 24 D-89610 Oberdischingen Deutschland Calf-Tel.com/de +49 (0)7305 926 780 E-Mail: europe@hampelcorp.com

## **International Distribution:**

For a complete list of international distribution partners, visit our website.

Calf-Tel.com











# CALF HOUSING THAT WORKS AS HARD AS YOU DO.



W194 N11551 McCormick Drive Germantown, Wisconsin 53022 Calf-Tel.com (800) 558-8558