Hampel's CALF-TEL®

MADE IN USA Est. 1981

PRODUCT CATALOG







OVER 45 YEARS OF CALF MANAGEMENT EXPERTISE

Partnering with calf professionals to design the most innovative calf housing options

Over the past 45 years, we've learned to listen, because of you, the most progressive farmer who puts the calf first. Innovation follows as we've prioritized the welfare of the calf – producing industry leading product. We continue to grow and expand our product offering as we listen to your needs. We look forward to continuing to produce the best calf housing for you, from you, the calf professional.

Calf-Tel®. Heart. Meets. Smart.



CONTENTS

THIS IS WHAT MAKES IT A CALF-TEL®		4
HEART. MEETS. SMART.		5
PRODUCT COMPARISON	HOUSING CUSTOMIZER	6-7
OUTDOOR	OVERVIEW	8
	SMALL	10
	MEDIUM	12
	LARGE	14
GROUP	TWINMAX	16
	MULTIMAX	18
	MAMMOTH	20
INDOOR	OVERVIEW	22
	4'5"	24
	6', 7' PENS	25
	BREEZEWAYS	26-27
STARTER	SINGLE STARTER	28
CALF FENCES	CLASSIC WIRE FENCE	30
	TWINMAX WIRE FENCE	31
	DIRECT ATTACH GATE	31
	GROUP YARD	32
	DUPLEX GATE SYSTEM	33
ACCESSORIES		34-35
TIMELINE: 1981-2026		36-37
CONTACT		38

THIS IS WHAT MAKES IT A CALF-TEL®

THERMOFORMING ADVANTAGE


Using our innovative thermoforming technology, we've continually evolved and increased our products' durability, UV resilience, ventilation and hygiene. We thermoform Calf-Tel hutches out of extruded sheets of polyethylene. This process results in a molecular bonding within the plastic that is far superior to any other form of manufacturing – providing unmatched strength and durability. With this, we've helped farmers like you raise healthier calves – and make more money!





We Go with the Flow

Ventilation is critical in limiting respiratory illness and eliminating heat stress. The flow of air is strategically engineered into Calf-Tel® hutches, our Medium and Large Hutches are designed with an extra-large ventilation opening (largest in the industry) for maximum comfort and breathability. Our indoor pen systems feature the AirMax panel for improved air-flow in challenging conditions.



Climate-Controlled Comfort

The opaque material of our hutches help keep your calves cooler in the summer and dry on those cold winter days. The plastic contains a layer of titanium dioxide to protect UV rays from breaking down the product over time.



We Promote Biosecurity

Calf-Tel's smooth surfaces don't have any pores, making them not only impervious to said undesirables, but super-easy to clean and maintain. When combined with proper management practices, calf raisers have found that our housing systems contribute to lower mortality, morbidity and overall treatment costs leading to enhanced calf growth.



Money Talks

For over 40 years, Calf-Tel® has been developing products that are built to stand the test of time. Longer lasting product leads to lower lifetime costs. Combine this with the cost savings and benefits of superior calf health and you can see why approximately 2 million calves are raised in Calf-Tel® housing systems worldwide each year.

HEART. MEETS. SMART.

50 Years of Innovation. 45 Years of Calf-Tel.



For 50 years, Hampel has built its reputation on innovation, quality and doing things right. Since 1981, Calf-Tel has carried that commitment into calf care, creating smarter housing solutions designed around the animals and the people who care for them.

50 Years of experience. 45 Years of Calf-Tel. Always looking ahead.




HEART





MEETS



SMART



HOUSING CUSTOMIZER

Outdoor

Group Housing



SMALL

Interior Size in M2	Imperial Dimensions
2.0	6' x 4'

Outside L x W x H
187 x 118 x 137 cm 73.5" x 46.5" x 54.4"

Inside Usable Calf Space
179 x 118 x 122 cm 70.5" x 43.5" x 48"

Weight	Base
21 kg 46 lbs	 Pipe

Front Opening



Full Open

Rear Door



Bedding Door



MEDIUM

Interior Size in M2	Imperial Dimensions
2.4	7' x 4'

Outside L x W x H
223.52 x 128 x 140 cm 88" x 48" x 55"

Inside Usable Calf Space
212 x 114 x 124 cm 83.5" x 45" x 49"

Weight	Base
35 kg 78 lbs	 Extrusion

Front Opening Options



Full Open Right Entry Left Entry

Rear Door



Bedding Door Flat Back Door



LARGE

Interior Size in M2	Imperial Dimensions
3.5	8' x 5'

Outside L x W x H
247 x 157.5 x 155 cm 97.25" x 62" x 61"

Inside Usable Calf Space
243 x 146 x 136 cm 95.5" x 57.5" x 53.5"

Weight	Base
43 kg 94 lbs	 Extrusion

Front Opening Options



Full Open Right Entry Left Entry

Rear Door



Bedding Door



TWINMAX

Interior Size in M2	Imperial Dimensions
4.9	8' x 7'

Outside L x W x H
248.29 x 223.52 x 179.07 cm 97.75" x 88" x 70.5"

Inside Usable Calf Space
235.59 x 208.28 x 178.4 cm 92.75" x 82" x 70.25"

Weight
63.5 kg 140 lbs

Fence Options



TwinMax Wire Fence



MULTIMAX

Interior Size in M2	Imperial Dimensions
5.4	9' x 8'

Outside L x W x H
220 x 273 x 183 cm 86.5" x 107.5" x 72"

Inside Usable Calf Space
208 x 259 x 180 cm 82" x 102" x 71"

Weight
107 kg 235 lbs

Fence Options



12|16 Group Yard Slanted Front



12|16 Group Yard V-Trainer Front

Weight and dimensions may vary slightly. Reserve technical changes.

Hampel's CALF-TEL

Indoor Housing

Starter Housing



MAMMOTH

Interior Size in M2	Imperial Dimensions
8.91	11' x 8.83'

Outside L x W x H
350 x 300 x 210 cm
137.8" x 118.2" x 82.7"

Inside Usable Calf Space
329.9 x 269.9 x 210 cm
129.92" x 106.3" x 82.7"

Weight
204.1 kg
450 lbs

Fence Options



12I16 Group Yard Slanted Front



12I16 Group Yard V-Trainer Front



4'5" PEN

Interior Size in M2	Imperial Dimensions
1.6	4.5' x 4'

Outside L x W x H
135 x 122 x 114 cm
4.5' x 4' x 3.75'

Weight
Starting at*
43 kg
95 lbs

Pen Front Options



Std. Gen III | Std. Breezway | Comp. Breezway

Side Panel Options



Solid

Back Panel Options



Windows | Airmax | Standard Wire | Compact Wire/Steel



6' PEN

Interior Size in M2	Imperial Dimensions
2.2	6' x 4'

Outside L x W x H
138 x 122 x 114 cm
6' x 4' x 3.75'

Weight
Starting at*
51 kg
113 lbs

Pen Front Options



Std. Gen III | Std. Breezway | Comp. Breezway

Side Panel Options



Solid | Windows

Back Panel Options



Windows | Airmax | Standard Wire | Compact Wire/Steel



7' PEN

Interior Size in M2	Imperial Dimensions
2.6	7' x 4'

Outside L x W x H
213 x 122 x 114 cm
7' x 4' x 3.75'

Weight
Starting at*
56 kg
123 lbs

Pen Front Options



Std. Gen III | Std. Breezway | Comp. Breezway

Side Panel Options



Solid | Windows

Back Panel Options



Windows | Airmax | Standard Wire | Compact Wire/Steel



SINGLE STARER

Interior Size in M2	Imperial Dimensions
1.5	5' x 4'

Outside L x W x H
152 x 114.3 x 114.3 cm
59.5" x 45" x 45"

Inside Usable Calf Space
137 x 98.56 x 99.5 cm
54" x 38.8" x 39.2"

Weight
31 kg
68.5 lbs

Base



Extrusion

Base Options




None | Wheels

Optional Front Wheels



* Weight depends on selected options

CALF-TEL® OUTDOOR HUTCHES



BETTER CALF RAISING

OUTDOORS

Whatever your needs, we have a calf hutch for you. Our outdoor calf hutches protect your calves from the elements while maintaining integrity and durability for many years. From small to large, our calf hutches are designed with industry-leading features and can be customized to keep your calves healthy and comfortable.



REAR BEDDING DOOR XXL-Sized bedding door on the back. Maximum ventilation – comfortable access.



Optional feeding doors on right or left side with inside feeding station.

Weight and dimensions may vary slightly. Reserve technical changes.











Our extrusion plastic base with structured flexibility, virtually impervious to destruction.




OUTDOOR CALF HUTCHES

SMALL

INDUSTRY-BEST OPACITY


0 – 8 weeks

With a small footprint, easy calf access and convenient features, the **Small**, our mid-size calf hutch, is perfect for large ranches that need to maximize efficiency and economies of scale.



INTERIOR SIZE IN M^2	2.0
IMPERIAL DIMENSIONS	6' x 4'
OUTSIDE L x W x H	187 x 118 x 138 cm 73.5" x 46.5" x 54"
INSIDE USABLE CALF SPACE L x W x H	179 x 110 x 122 cm 70.5" x 43.5" x 48"
WEIGHT	20 kg 43 lbs





Pipe Base



Bedding Door

Weight and dimensions may vary slightly. Reserve technical changes.







OUTDOOR CALF HUTCHES

MEDIUM

INDUSTRY-BEST OPACITY

0 – 8 weeks


Flat Back Door


Bedding Door

Our standard-size calf hutch with newly redesigned features for maxiumum ventilation. With new structural upgrades and fully customized features, this calf hutch will reinvent how you manage your calf operation. It is also equipped with our all-plastic extrusion base with structured rigidity that won't freeze to the ground.



INTERIOR SIZE IN M^2	2.4
IMPERIAL DIMENSIONS	7' x 4'
OUTSIDE L x W x H	223.52 x 128 x 140 cm 88" x 48" x 55"
INSIDE USABLE CALF SPACE L x W x H	212 x 114 x 124 cm 83.5" x 45" x 49"
WEIGHT	35 kg 78 lbs




FRONT OPENING OPTIONS	 Full Open	 Right Entry	 Left Entry
OPTIONAL FEED DOOR	 Left Feed Door	 Right Feed Door	



3 Lower Rear Vents


Extrusion Base

Weight and dimensions may vary slightly. Reserve technical changes.




"We have used Calf-Tel hutches for over 8 years with great success. We have over 330 hutches and think they are a great way to raise calves. I am a big believer in Calf-Tel."
JIM VAN PATTER





OUTDOOR CALF HUTCHES

LARGE

INDUSTRY-BEST OPACITY

0 – 8 weeks

Our largest outdoor calf hutch available. It's 44% bigger than our Medium and 26% larger than other Large hutches on the market. When a larger size calf hutch is preferred due to climate or long-term needs, this extra-large calf hutch is the right choice. The spaciousness also makes it the perfect hutch for pairing calves.



Bedding Door



INTERIOR SIZE IN M^2	3.5
IMPERIAL DIMENSIONS	8' x 5'
OUTSIDE L x W x H	247 x 157.5 x 155 cm 97.25" x 62" x 61"
INSIDE USABLE CALF SPACE L x W x H	243 x 146 x 136 cm 95.5" x 57.5" x 53.5"
WEIGHT	43 kg 95 lbs



FRONT OPENING OPTIONS



Full Open



Right Entry



Left Entry

OPTIONAL FEED DOOR








4 Lower Rear Vents



Extrusion Base

Weight and dimensions may vary slightly. Reserve technical changes.







GROUP HOUSING

TWINMAX

NEW


Purpose-built for paired calf housing. Give two calves the space to grow together with the TwinMax Hutch. Designed for paired housing, TwinMax combines generous interior space, enhanced ventilation and labor-friendly features in one durable Calf-Tel housing solution.



Rear Ventilation



INTERIOR SIZE IN M^2	4.91
IMPERIAL DIMENSIONS	8' x 7'
OUTSIDE L x W x H	248.29 x 223.52 x 179.07 cm 97.75" x 88" x 70.50"
INSIDE USABLE CALF SPACE L x W x H	235.59 x 208.28 x 178.44 cm 92.75" x 82" x 70.25"
WEIGHT	61.24 kg 135 lbs



Extrusion Base

ROOM FOR TWO

With 52.98 sq. ft. of interior space, Twin Max provides a spacious environment designed specifically for two calves.

BUILD AROUND YOUR ROUTINE

Thoughtful feeding access, large rear bedding doors and a standard lifting bracket help make everyday calf care easier.

FRESH AIR FROM EVERY ANGLE

Upper, lower and ridge ventilation work together to promote airflow throughout the hutch, providing 742 sq. in. of total ventilation.





BETTER TOGETHER.

Weight and dimensions may vary slightly. Reserve technical changes.





85



MULTIMAX

GROUP CALF HUTCH

When calves raised individually are placed in large groups, the stress from competition and social pressure can lead to setbacks in growth and health. The **Group Calf Hutch** provides just the right environment for this important transition and stage of development.



Optional lifting bracket, designed to fit a front loader blade, evenly distributes weight making moving the hutch effortless.



INTERIOR SIZE IN M^2	5.4
IMPERIAL DIMENSIONS	9' x 8'
OUTSIDE L x W x H	220 x 273 x 183 cm 86.5" x 107.5" x 72"
INSIDE USABLE CALF SPACE L x W x H	208 x 259 x 180 cm 82" x 102" x 71"
WEIGHT	107 kg 235 lbs



Weight and dimensions may vary slightly. Reserve technical changes.









DUPLEX GATE SYSTEM

Looking to transition your calves from the start? Our NEW Duplex gate allows you to pair raise calves using the Group Calf Hutch and remove the middle pairing gate when ready.


MAMMOTH

INDUSTRY-BEST OPACITY

At Calf-Tel, we believe the future of dairy starts with strong calves. That's why we created the Mammoth—designed for group housing or post-weaned transitions, it offers 110 sq. ft. of space, superior airflow, and unmatched durability with high molecular weight polyethylene.



INTERIOR SIZE IN M^2	8.9
IMPERIAL DIMENSIONS	11' x 8.83'
OUTSIDE L x W x H	350 x 300 x 210 cm 137.8" x 118.1" x 82.7"
INSIDE USABLE CALF SPACE L x W x H	329.9 x 269.9 x 210 cm 129.92" x 106.3" x 82.7"
WEIGHT	204.1 kg 450 lbs



LIFTING BRACKET INCLUDED

For safety reasons, the Mammoth should always be lifted using the supplied Lifting Device and should not be tipped up onto sides or ends.




Rear and side openings provide ventilation for continuous airflow

Weight and dimensions may vary slightly. Reserve technical changes.






MAMMOTH SPACE. MAMMOTH FLEXIBILITY. MAMMOTH RESULTS.



Rear openings provide multiple options for bedding techniques and automated bedding equipment




Improved base with beveled edge for easy transportation - No wood!

- 4 main structural components for easy assembly
- Minimal hardware required
- Streamlined ventilation ports provide additional airflow
- Additional ventilation on rear bottom doors



INDOOR CALF HOUSING



Outer dimensions

For additional measurements and details on the pen dimensions please visit Calf-Tel.com or contact your Calf-Tel Sales Representative

BETTER CALF RAISING

INDOORS


We offer flexible, modular solutions for your indoor spaces. Our indoor pens help meet the challenges of indoor raising with maximum ventilation, versatility and ease of cleaning. Many customizable features allow you to create a pen that meets your needs and fits your space.




Compact Breezeway Front Panels shown with optional Chute Bottle Holders and Direct Attach Pails.

Weight and dimensions may vary slightly. Reserve technical changes.


STANDARD BACK PANEL






Optional slots on the side wall for ventilation and tactile contact available only on 6 & 7 ft pen sides.

AIRMAX BACK PANEL







Our 6 & 7 ft pens now feature ALL-NEW metal knuckles bringing next-level strength and performance to the pen you already trust.




Compact Breezeway Front Panel & Back Panel



Standard Breezeway Front Panel & Back Panel

4'5" PEN

Free-standing indoor maternity calf pen takes up less space, providing added flexibility and cost savings for short-term housing.





INTERIOR SIZE IN M^2	1.6
IMPERIAL DIMENSIONS	4.5' x 4'
OUTSIDE L x W x H	135 x 122 x 114 cm I 4.5' x 4' x 3.75'
WEIGHT	43 kg I 95 lbs



PEN FRONT	 Standard Gen 3	
SIDE PANEL OPTION	 Solid	
BACK PANEL OPTIONS	 Windows	 AirMax
OPTIONAL BOTTLE HOLDER	 Chute	 Wire

Weight and dimensions may vary slightly. Reserve technical changes.

6' PEN

Indoor calf pens that can easily grow with you herd or be taken down during slower production times. Creating versatile indoor calf housing that meets your needs.



INTERIOR SIZE IN M^2	2.2
IMPERIAL DIMENSIONS	6' x 4'
OUTSIDE L x W x H	183 x 122 x 114 cm | 6' x 4' x 3.75'
WEIGHT	Starting at 51 kg | 113 lbs

PEN FRONT	 Standard Gen 3	
SIDE PANEL OPTION	 Solid	 Windows
BACK PANEL OPTIONS	 Windows	 AirMax
OPTIONAL BOTTLE HOLDER	 Chute	 Wire

7' PEN

A modular indoor calf pen solution that easily flexes based on your operation and herd needs. Many enhanced features improve productivity and efficiency.



INTERIOR SIZE IN M^2	2.6
IMPERIAL DIMENSIONS	7' x 4'
OUTSIDE L x W x H	213 x 122 x 114 cm | 7' x 4' x 3.75'
WEIGHT	Starting at 56 kg | 123 lbs

PEN FRONT	 Standard Gen 3	
SIDE PANEL OPTION	 Solid	 Windows
BACK PANEL OPTIONS	 Windows	 AirMax
OPTIONAL BOTTLE HOLDER	 Chute	 Wire

BREEZEWAY
Indoor Pen System





Compact **BREEZEWAY** Panels

Compact Breezeway Panels are modular solution allowing dairy farmers to take full advantage of their indoor space and provide an ideal micro-environment for the animal. Resulting in superior airflow and ventilation and a healthier, happier herd.



FRONT AND BACK PANEL DIMENSIONS W x H	81.3 x 114.3 cm I 32" x 45"
PEN FRONT WEIGHT	12 kg I 26 lbs

SIDE PANEL OPTIONS Fits all Calf-Tel Pen side sizes	 Solid	 Windows
BACK PANEL OPTIONS	 Wire – 6 kg I 13 lbs	 Steel – 11 kg I 24 lbs
OPTIONAL ACCESSORIES	 Chute	 Direct Attach Pail

Weight and dimensions may vary slightly. Reserve technical changes.

Standard **BREEZEWAY** Panels

The Standard Breezeway Panels give calves extra space while still utilizing indoor calf barn space efficiently. The open panel design provides the calf access to fresh air and cleaner ventilation.






FRONT AND BACK PANEL DIMENSIONS W x H	117.47 x 114.3 cm I 46.25" x 45"
PEN FRONT WEIGHT	14.5 kg I 32 lbs

SIDE PANEL OPTIONS
Fits all Calf-Tel Pen side sizes


Solid


Windows

BACK PANEL OPTIONS


Wire – 9 kg I 20 lbs

OPTIONAL ACCESSORIES


Chute



Direct Attach Pail



CALF-TEL STATER SYSTEM


SINGLE STARTER

Add flexibility to your calf program with the **Complete Starter System**. Whether it be on farms for individualized calf care, a depot facility or for a maternity facility the Starter System is the perfect short-term housing option. Includes many built-in features and additional options.



INTERIOR SIZE IN M^2	1.5
IMPERIAL DIMENSIONS	5' x 4'
OUTSIDE L x W x H	152 x 114.3 x 114.3 cm 59.5" x 45" x 45"
INSIDE USABLE CALF SPACE L x W x H	137 x 98.56 x 99.5 cm 54" x 38.8" x 39.2"
STARTER UNIT WEIGHT WEIGHT WITH WHEELS WEIGHT WITH LEGS	31 kg | 68.5 lbs 44 kg | 98 lbs 39 kg | 86 lbs

0 – 10 days

BASE OPTIONS	 *Extrusion*	 Wheels
OPTIONAL FLOOR		Floor must be used with base
STANDARD VENTS	 Upper Back	 Lower Back

OPTIONAL ROOF	 None	 Roof
OPTIONAL FRONT WHEELS		
OPTIONAL BOTTLE HOLDER	 Chute	

Weight and dimensions may vary slightly. Reserve technical changes.

SINGLE STARTER with wheels

Make calf care easier with a Starter System designed to move where you need it. Ideal for individualized calf care, depot facilities or maternity areas, this complete short-term housing solution includes a durable base and wheels for added mobility. Built-in features and additional options make it a practical and versatile choice for any calf care program.







ROBUST REAR HINGE – EASILY FLIP-UP STARTER UNITS AND CLEAN THEM OUT



OPTIONAL FRONT WHEELS - CONVENIENTLY TILT STARTER UNIT FOR EASY MOBILITY AND RELOCATION




CALF FENCES

Containment systems are every bit as important to the staff as they are the calf. Our thoughtful designs focus on safety and feeding efficiency for the calf and convenience and strength for the producer.

ALL CLASSIC SYSTEM FENCES FIT
SMALL, MEDIUM AND LARGE
CALF-TEL HUTCHES

CLASSIC SYSTEM







CLASSIC Wire Fence

OUTSIDE L x W x H	183 x 122 x 107 cm I 72" x 48" x 42"

Economic design combined with convenient features.
Pre-dipped galvanized provides a lasting, smooth and consistent finish

Weight and dimensions may vary slightly. Reserve technical changes.





TWINMAX
Wire Fence

OUTSIDE L x W x H 182.8 x 223.5 x 106.7 cm / 72" x 88 x 42"

Dinner for Two. An 88" front accomodates up to four direct attach pails with cutouts and at least two bottle holders. Side-feeding capabilities provide additional flexibility for your operation.



DIRECT ATTACH
Gate

OUTSIDE L x W x H 72.39 x 111.76 cm / 28.5" x 44"

Designed with housing and feeding accomodations all in one, the Direct Attach Gate allows farmers to take advantage of a reduced footprint and economies of scale.



FITS

MEDIUM AND LARGE

FULL OPEN AND OFFSET ENTRY CALF-TEL HUTCHES OR

SMALL

FULL OPEN CALF-TEL HUTCHES

CALF FENCES

GROUP YARD

Our **NEW** Calf-Tel Group Yard is a heavy-duty, durable fencing solution that provides extra space for calves and an infinitely modular






THRUTUBE EXTENDER LINKS ALLOW YOU TO ADD PANELS WHILE REINFORCING STRENGTH AT THE INTERSECTION







OPTIONAL V-SHAPED FRONT TO HELP TRAIN FOR HEADLOCKS


12|16 FENCE

OUTSIDE L x W xH	489 x 361 x 109 cm 192" x 142.6" x 43"
WEIGHT	89 kg | 197 lbs
SPECIFICATION	Zinc coated hot dipped galvanized steel

- Inside-out hot dip galvanization process provides pervasive protection against rust resulting in superior longevity
- Constructed and assembled utilizing our ThruTube fabrication process creating a stronger connection than standard welded steel
- Infinitely modular- Can be bought as one of the systems shown or in individual panels
- Two heavy duty plastic troughs can fit along the front, and one additional can be applied to the side



SUPERIOR DURABILITY WITHSTANDS HARSH ENVIRONMENTAL CONDITIONS



OPTIONAL 3RD TROUGH CAN BE APPLIED TO SIDE WATERER PANEL

Harpel's CALF-TEL INSIDE OUT GALVANIZATION

THRUTUBE

Weight and dimensions may vary slightly. Reserve technical changes.



DUPLEX
GATE SYSTEM

Bolster your herd's overall health and growth by easing the transition from individual calf housing to a group environment. Suitable for 2 calves with the middle pairing gate, or up to 3 without the middle pairing gate.



REMOVABLE MIDDLE PAIRING GATE FOR INCREASED CALF INTERACTION

INSIDE SIZE WITH MIDDLE PAIRING GATE (1 SIDE)	8.8 FT
INSIDE SIZE WITHOUT MIDDLE PAIRING GATE	17.7 FT
INSIDE USEABLE CALF SPACE WITH MIDDLE PAIRING GATE (1 SIDE)	208 x 122 x 180 cm 82" x 48" x 71"
INSIDE USEABLE CALF SPACE WITHOUT MIDDLE PAIRING GATE	208 x 259 x 180 cm 82" x 102" x 71"
WEIGHT – GATE SYSTEM	76.5 lbs / 34.7 kg

- Fits Calf-Tel MultiMax Group Hutch
- Removable middle pairing gate for increased calf interaction
- Optional plastic divider to reduce the spread of sickness or disease
- Fits four direct attach pails and two bottles/holders
- Secure levers — Easy enough to open with one hand
- Doors open inward and outward for easy access



CALF-TEL® ACCESSORIES



More information

To view full specifications—including weight, size, and more—on all Calf-Tel® Accessories, visit our website or connect with your local distributor.

Calf-Tel.com



Direct Attach Pail
Attaches to Calf-Tel® Fence Panel and ECS/wood without the need for extra hardware or pail holder. 8 and NEW 10 QT capacity. Available in gray and black.
Part Numbers:
8qt.: Black/Fence Mount - CT-10040, Black/Wood/ECS - CT-10043
Gray/Fence - CT-10041, Gray/Wood/ECS - CT-10042
10qt.: Black/Fence Mount - CTA-1004, Black/Wood/ECS - CTA-1006
Gray/Fence - CTA-1003, Gray/Wood/ECS - CTA-1005



Bottle in 2, 3, or 4 quart size.
Must purchase nipple seperately.
Part Numbers:
2 Quart - CTA-1007
3 Quart - CTA-1008
4 Quart - CTA-1009



Heavy duty front Door.
For Calf-Tel® 24I74 and 35I85.
Part Numbers:
CT-7000K



Calf Jacket, Double Insulated,
Small and Large Sizes Available
Part Numbers:
Small- CT-CB-05, Large - CT-CB-03



8.5 Quart / 8 L Heavy Duty Plastic Pail.
Part Numbers:
White- CH-3298, Black - CH-3295



Bottle Holder and Attachments:
Pen, Fence & Hutch Mount available.
Part Numbers:
Hutch Mount, 2 Quart - CH-3220B-1
Hutch Mount, 3 Quart / 4 Quart - CH-3220-3L
Pen Mount, 2 Quart - CH-6115K
Pen Mount, 3 Quart / 4 Quart - CH-6115K-3L
Fence Mount, 2 Quart - CH-9777
Fence Mount, 3 Quart / 4 Quart - CH-9778-3L



6.3 Quart / 6 L Nipple Pail
fence mounted.
Part Number:
CTA-1011



Feed-Saver Cover fence mounted.
Part Number:
CH-4010



Chute Style Bottle Holder:
Pen, Fence & Hutch Mount available.
Part Numbers:
Hutch - CT-10015AH
Pen/ECS - CT-10015AP
Fence - CTC-1041



Metal Chute Bottle Holder:
Part Numbers:
CTC-1045



Hay Rack: Pen, Fence & Hutch Mount available.
Part Numbers:
Fence Mount - CH-3325
Hutch Mount - CH-3326
Pen Mount - CT-6190



L-Rod Attaches fence to hutch.
Part Numbers:
CH-3332A



MultiMax Lifting Bracket.
Part Numbers:
CT-6192



Pen System Wall Bracket.
Part Numbers:
CT-6191K



Heavy Duty Double Pail Holder, Hutch Mount.
Part Numbers:
CT-3215



Heavy Duty Single Pail Holder, Hutch Mount.
Part Numbers:
CT-3215S



Double Pail Holder, Fence Mount.
Part Numbers:
CH-3219



Group Loop for 6', 7' and 8' Pen Systems.
Part Numbers:
CTI-1031K (6ft) /CTI-1032K (7ft) /CTI-1033K (8ft)




Fluid Feeders, 1 gallon size.
Part Numbers:
CT-4QTSSTF




Single Pail Holder, Fence Mount.
Part Numbers:
CH-3219S

TIMELINE: 1980-2026



1981

GENERATION I CALF-TEL
Our first hutch is introduced.



1983

GENERATION II CALF-TEL
Back of the hutch is updated.



1987

GENERATION III DELUXE & BASIC CALF-TEL HUTCH INTRODUCTION
New features including ridge vent, rear vent, feed options & threshold.



1991

GENERATION IV DELUXE & BASIC CALF-HUTCH
Hutches now manufactured in one piece, no rivets!



1996

GENERATION V PRO
New Pro model turnkey calf raising system, fence and accessories.



2012

GENERATION I XXL CALF-TEL HUTCH
The largest hutch on the market.



2012

GENERATION I ECO CALF-TEL HUTCH
Mid-size hutch space-saving and economical.



2012

GENERATION II INDOOR PEN SYSTEM
Updated pen front with enhanced features.



2013

PREMIUM FENCE
Heavy duty fence with functioning door and optional wheels.



2015

GENERATION III PEN SYSTEM
Updated front with swing in/out door, XL handle & snap.



2021

ELITE ACCESS FRONT WITH WIRE FENCE
Wire fence sides and heavy-duty front for labor efficiency.



2021

ELITE SINGLE FENCE
Heavy-duty design for durability and longevity.



2021

ELITE PAIRING FENCE
Perfect for pairing.



2021

ELITE DIRECT ATTACH HUTCH ACCESS
Housing and feeding accommodations all in one.



2021

INDOOR PEN BREEZEWAY PANELS
New metal front and back design for pen system.



1997

GENERATION I MULTIMAX TRANSITIONAL GROUP HOUSING

Group Housing hutch that can fit 4-6 calves.



2006

GENERATION I INDOOR PEN SYSTEM

Bringing calves indoors has never been easier.



2006

COMPACT CALF-TEL HUTCH


Our smallest hutch, an efficient solution for short-term needs.



2009

GENERATION VI PRO II & DELUXE II CALF-TEL HUTCH

New rear bedding door and ridge vents.



2011

INDOOR PEN AIRMAX BACK

New back for pen system with added ventilation.



2016

ECS – ELEVATED CALF SYSTEM

Climate controlled, wood alternative, flexible housing.



2018

INDOOR PEN AIRMAX SIDES

Maximum ventilation from all angles.



2019

CALF-TEL HUTCH EXTRUSION BASE

All plastic hutch, option with no pipe base.



2020

15I54 & 30I58 CALF-TEL STARTER SYSTEM

Short-term housing for customized care.



2021

CLASSIC ACCESS FRONT WITH WIRE FENCE

Light-weight, 3-piece design for easy assembly and accessibility.



2021

GENERATION VII 24I74 CALF-TEL HUTCH

New customizable features including mega vent door, adjustable top ridge vent, upgraded flat back door, added third rear lower vent, and redesign of hutch sides.



2022

DUPLEX GATE SYSTEM

The Duplex Gate System allows you to pair raise first, then shift to a small group. Suitable for 2 calves with the middle pairing gate, or up to 3 without the middle pairing gate.



2023

XL XTRA 35I85 CALF-TEL HUTCH

New customizable features including mega vent door, adjustable top ridge vent, flat back door, optional four rear lower vent, and extrusion base.



2025

CALF-TEL MAMMOTH

The Calf-Tel Mammoth is the largest calf housing unit we have ever produced. It provides a generous 110 sq. ft. in total footprint with enhanced airflow and durability.



2026

CALF-TEL TWINMAX

Better together. Designed for paired housing, TwinMax combines generous interior space, enhanced ventilation and labor-friendly features in one durable Calf-Tel housing solution.



Ten Year Limited Warranty

10 Year Limited Warranty on all housing systems:
Calf-Tel® Outdoor Housing: Small, Medium, Large
Calf-Tel® Indoor Housing: Calf-Tel Pen-System
Calf-Tel® Group Housing: Calf-Tel TwinMax, MultiMax Group Calf Hutch, Calf-Tel Mammoth

Made by HAMPEL

Hampel – Manufacturer of Calf-Tel® Products.

Hampel is a manufacturer of thermoformed plastic products in Germantown, Wisconsin. Founded in 1976 by Lance T. Hampel, specializing in heavy gauge, deeply drawn thermoformed plastics that are sold on a proprietary and custom basis.

Calf-Tel® USA Corporate Office
W194 N11551 McCormick Drive
Germantown, Wisconsin 53022
Calf-Tel.com
(800) 558-8558
+1 262 255-4540

Calf-Tel® Europe
Calf-Tel.eu
E-Mail: europe@hampelcorp.com

International Distribution:

For a complete list of international distribution partners, visit our website.

Calf-Tel.com




CALF-TEL
15017


UNITED
COOPERATIVE




28306


HEART
MEETS
SMART
Hampel's
CALF-TEL®
W194 N11551 McCormick Drive
Germantown, Wisconsin 53022
Calf-Tel.com
(800) 558-8558
CT-2602